



JN0-1331^{Q&As}

Security Design - Specialist (JNCDS-SEC)

Pass Juniper JN0-1331 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-1331.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In a data center, what are two characteristics of access tier VLAN termination on the aggregation tier? (Choose two.)

- A. Multiple VLANs can be part of one security zone
- B. A security zone is limited to a single VLAN
- C. Inter-VLAN traffic within a zone can bypass firewall services
- D. Inter-VLAN traffic is secured through firewall services

Correct Answer: AD

QUESTION 2

You are concerned about users attacking the publicly accessible servers in your data center through encrypted channels. You want to block these attacks using your SRX Series devices.

In this scenario, which two features should you use? (Choose two.)

- A. Sky ATP
- B. IPS
- C. SSL forward proxy
- D. SSL reverse proxy

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-auth-ssltls.html

QUESTION 3

Which solution centralizes the management of security devices in your data center?

- A. Juniper Networks Secure Analytics
- B. J-Web
- C. Junos Space Security Director
- D. Junos CLI

Correct Answer: C

QUESTION 4



You are asked to install a mechanism to protect an ISP network from denial-of-service attacks from a small number of sources.

Which mechanism will satisfy this requirement?

- A. RTBH
- B. UTM
- C. Sky ATP
- D. GeoIP

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/day-one-books/DO_BGP_FLowspec.pdf

QUESTION 5

You will be managing 1000 SRX Series devices. Each SRX Series device requires basic source NAT to access the Internet.

Which product should you use to manage these NAT rules on the SRX Series devices?

- A. Security Director
- B. CSO
- C. Contrail
- D. JSA

Correct Answer: A

[Latest JN0-1331 Dumps](#)

[JN0-1331 Study Guide](#)

[JN0-1331 Brainsdumps](#)