



JN0-1332^{Q&As}

Security Design Specialist (JNCDS-SEC)

Pass Juniper JN0-1332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-1332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are designing a solution to protect a service provider network against volumetric denial-of-service attacks. Your main concern is to protect the network devices. Which two solutions accomplish this task? (Choose two.)

- A. next-generation firewall
- B. screens
- C. intrusion prevention system
- D. BGP FlowSpec

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/day-one-books/DO_BGP_FlowSpec.pdf

QUESTION 2

Your company has 500 branch sites and the CIO is concerned about minimizing the potential impact of a VPN router being stolen from an enterprise branch site. You want the ability to quickly disable a stolen VPN router while minimizing administrative overhead.

Which solution accomplishes this task?

- A. Implement a certificate-based VPN using a public key infrastructure (PKI)
- B. Modify your IKE proposals to use Diffie-Hellman group 14 or higher
- C. Use firewall filters to block traffic from the stolen VPN router
- D. Rotate VPN pre-shared keys every month

Correct Answer: C

QUESTION 3

You are deploying Security Director with the logging and reporting functionality for VMs that use SSDs. You expect to have approximately 20,000 events per second of logging in your network.

In this scenario, what is the minimum number of logging and reporting devices that should be used?

- A. 2
- B. 4
- C. 1
- D. 3

Correct Answer: C



Reference: https://www.juniper.net/documentation/en_US/junos-space17.1/topics/task/multi-task/junosspace-sd-log-collector-installing.html

QUESTION 4

You are creating a security design proposal for an enterprise customer. As part of the design, you are implementing 802.1x authentication on your EX Series devices.

In this scenario, which two statements are correct? (Choose two.)

- A. The supplicant is the device that prevents the authenticator's access until it is authenticated
- B. The supplicant is the device that is being authenticated
- C. The authenticator is the device that is being authenticated
- D. The authenticator is the device that prevents the supplicant's access until it is authenticated

Correct Answer: BD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/802-1x-authenticationswitching-devices.html

QUESTION 5

You are deploying Security Director with the logging and reporting functionality for VMs that use SSDs. You expect to have approximately 20,000 events per second of logging in your network.

In this scenario, what is the minimum number of log receiver devices that you should use?

- A. 4
- B. 3
- C. 2
- D. 1

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos-space17.1/topics/task/multi-task/junosspace-sd-log-collector-installing.html