



JN0-1332^{Q&As}

Security Design Specialist (JNCDS-SEC)

Pass Juniper JN0-1332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-1332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are designing a data center interconnect between two sites across a service provider Layer 3 VPN service. The sites require Layer 2 connectivity between hosts, and the connection must be secure.

In this scenario, what will accomplish this task?

- A. EVPN over IPsec
- B. MACsec encryption
- C. SSL VPN encryption
- D. stacked VLAN tagging

Correct Answer: B

QUESTION 2

You are asked to virtualize numerous stateful firewalls in your customer's data center. The customer wants the solution to use the existing Kubernetes-orchestrated architecture.

Which Juniper Networks product would satisfy this requirement?

- A. vMX
- B. vSRX
- C. cSRX
- D. CTP Series

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/csr/topics/concept/security-csr-kubernetesoverview.html

QUESTION 3

What is the maximum number of SRX Series devices in a chassis cluster?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: A

Reference: <https://www.oreilly.com/library/view/juniper-srx-series/9781449339029/ch07.html>



QUESTION 4

Your company has outgrown its existing secure enterprise WAN that is configured to use OSPF, AutoVPN, and IKE version 1. You are asked if it is possible to make a design change to improve the WAN performance without purchasing new hardware.

Which two design changes satisfy these requirements? (Choose two.)

- A. Modify the IPsec proposal from AES-128 to AES-256
- B. Change the IGP from OSPF to IS-IS
- C. Migrate to IKE version 2
- D. Implement Auto Discovery VPN

Correct Answer: BD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discoveryvpns.html

QUESTION 5

You have a site that has two Internet connections but no switch on the outside of the firewall. You want to use ISP-A over ISP-B during normal operations.

Which type of chassis cluster design would you propose to satisfy this requirement?

- A. Propose active/active cluster deployment with separate redundancy groups
- B. Propose active/passive cluster deployment with separate redundancy groups
- C. Propose active/active cluster deployment without separate redundancy groups
- D. Propose active/passive cluster deployment without separate redundancy groups

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/chassis-cluster-srx-active-active-configuring.html