



# JN0-1361<sup>Q&As</sup>

Service Provider Design Specialist (JNCDS-SP)

**Pass Juniper JN0-1361 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-1361.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Your customer's enterprise is adding geographically-dispersed branch offices and requires new WAN connections. The primary design consideration for this expansion is low cost but the branches must remain secure with low latency.

Which type of Internet access model satisfies the customer's requirement in this scenario?

- A. distributed model with security at the hub
- B. centralized model with security at the hub
- C. centralized model with security at each branch
- D. distributed model with security at each branch

Correct Answer: D

---

### QUESTION 2

Your customer is deploying a large number of Juniper WAN edge devices spread across several remote locations. The customer wants to create an isolated out-of-band management network where these devices can be securely accessed and managed using the CLI and, where possible, the WebUI Which two statements will satisfy the customer's requirements? (Choose two)

- A. Ensure the devices are running the FIPS version of the Junos OS.
- B. Enable the SSH and HTTPS services on each WAN edge device
- C. Implement a management configuration group on all WAN edge devices.
- D. Place all management interfaces on a common Layer 2 network

Correct Answer: AB

---

### QUESTION 3

Which two statements about BFD are correct? (Choose two)

- A. BFD provides link failure detection for static routes.
- B. BFD modifies each protocol timer to improve link failure detection.
- C. NSR maintains BFD sessions during Routing Engine switchover.
- D. GRES is required for BFD sessions to be established.

Correct Answer: AC

---



[https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/policy-bfd-static-routes.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/policy-bfd-static-routes.html) [https://www.juniper.net/documentation/en\\_US/junos/topics/reference/requirements/nsrsystemrequirements.html#section-nonstop-routing-bfd-support](https://www.juniper.net/documentation/en_US/junos/topics/reference/requirements/nsrsystemrequirements.html#section-nonstop-routing-bfd-support)

---

#### QUESTION 4

Your customer's WAN edge connects to two service providers SP-A and SP-B. The customer is advertising a single /22 subnet to both service providers through EBGP peering sessions. The customer wants to influence inbound traffic to the advertised /22 destination prefix so that it passes through SP-A when both paths are operational. Which action meets the customer's requirement?

- A. Advertise the prefix to SP-A with a lower MED value than that sent to SP-B.
- B. Advertise the prefix to SP-B with an origin of unknown.
- C. Advertise the prefix to SP-B with a lower MED value than that sent to SP-A.
- D. Advertise the prefix to SP-A with an origin of unknown.

Correct Answer: A

[https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/med-attribute.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/med-attribute.html)

---

#### QUESTION 5

Your team manages a WAN consisting of multiple customer MPLS tunnels. You are asked to design an SDN WAN solution capable of signaling LSPs to avoid nodes or links before they are removed from the network for service.

Which Juniper Network's SDN WAN solution satisfies these requirements?

- A. NorthStar Controller Bandwidth Calendaring
- B. NorthStar Planner Path Design
- C. NorthStar Planner Failure Simulation
- D. NorthStar Controller Maintenance Mode

Correct Answer: B

[JN0-1361 PDF Dumps](#)

[JN0-1361 Practice Test](#)

[JN0-1361 Study Guide](#)