



# JN0-220<sup>Q&As</sup>

Automation and DevOps, Associate (JNCIA-DevOps)

## Pass Juniper JN0-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-220.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which Python operator tests two variables to see if they contain the same value?

- A. !=
- B. != =
- C. ==
- D. =

Correct Answer: C

Reference: <https://www.programiz.com/python-programming/operators>

---

### QUESTION 2

Which statement is true about YAML?

- A. YAML is a Unicode-based serialization language designed around common data types
- B. YAML is designed around parsing speed over human readability
- C. YAML is widely used on the Internet as a method to mode data between web servers and AJAX clients on Web browsers
- D. YAML follows the lowest common denominator data types and requires simple processing between different programming environments

Correct Answer: A

Reference: <http://yaml.org/spec/spec.pdf>

---

### QUESTION 3

Click the Exhibit button.

Which two actions are performed by the PyEZ Python script shown in the exhibit? (Choose two.)



```
from jnpr.junos import Device
from jnpr.junos.utils.config import Config
from jnpr.junos.exception import ConnectError

host = 'dcla.example.com'

def main():

    dev = Device(host=host)

    try:
        dev.open()
    except ConnectError as err:
        print ("Cannot connect to device: {0}".format(err))
        return

    cu = Config(dev)

    try:
        rescue = cu.rescue(action= "get", format = "text")
        if rescue is None:
            print ("No existing rescue configuration.")
            print ("Saving rescue configuration.")
            cu.rescue(action="save")
        else:
            print ("Rescue configuration found:")
            print (rescue)
    except Exception as err:
        print (err)

    dev.close()

if __name__ == "__main__":
    main()
```

- A. It saves the current configuration as a rescue configuration only if one does not exist
- B. It prints the rescue configuration if one already exists
- C. It prints the rescue configuration after it has been replaced
- D. It always saves the current configuration as a rescue

Correct Answer: AB

---

#### QUESTION 4

Which statement is true regarding Python?

- A. To obtain functionality from a package, it must be imported using the Python keyword module



- B. A Python set is an ordered collection of unique elements
- C. Python 3.x is not fully backwards compatible with Python 2.x
- D. An object within a Python tuple can be modified

Correct Answer: C

---

#### QUESTION 5

Ansible code modules are typically written in which language?

- A. SLAX
- B. Python
- C. YAML
- D. XML

Correct Answer: B

[JN0-220 PDF Dumps](#)

[JN0-220 Study Guide](#)

[JN0-220 Braindumps](#)