



# JN0-221<sup>Q&As</sup>

Automation and DevOps, Associate

## Pass Juniper JN0-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-221.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What are two components of the Waterfall model of software development? (Choose two.)

- A. a large volume of code changes between releases
- B. a small volume of code changes between releases
- C. a short interval of time between releases
- D. a long interval of time between releases

Correct Answer: AD

Reference: <https://resources.whitesourcesoftware.com/blog-whitesource/sdlc-software-development-lifecycle>

---

#### QUESTION 2

Which Ansible Playbook play parameter will prevent the system from copying the playbook to the Junos devices?

- A. serial
- B. gather\_facts
- C. environment
- D. connection

Correct Answer: D

---

#### QUESTION 3

Given the username XML code, what is the information between the opening and closing tags called?

- A. name node
- B. data node
- C. text node
- D. element node

Correct Answer: D

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/concept/junos-script-automationxml-overview.html](https://www.juniper.net/documentation/en_US/junos/topics/concept/junos-script-automationxml-overview.html)

---

#### QUESTION 4



What is the outcome of the Python `a == b` operator?

- A. The variables will be added together
- B. The variables are compared to determine if they have the same value
- C. The variables are compared to determine if they have different data types
- D. The variables will be subtracted from each other

Correct Answer: B

### QUESTION 5

Click the Exhibit button.

```
---
- name: Update JunOS Configuration
  hosts: firewalls
  roles:
    - Juniper.junos
  connection: local
  gather_facts: no
  tasks:
    - name: Checking NETCONF
      wait_for:
        _host: "{{ inventory_hostname }}"
        port: 830
        sleep: 30
    - name: Update Config
      juniper_junos_config:
        load: set
        src: "{{ inventory_hostname }}.conf"
        host: "{{ mgmt_ip }}"
        user: "{{ username }}"
        ssh_private_key_file: "{{ playbook_dir }}/{{ rsa_key_name }}"
        timeout: 180
      register: out
```

Referring to the exhibit, what is the function of the register key?

- A. to set an input value for the `juniper_junos_rpc` module
- B. to configure a global setting for the playbook
- C. to define a variable containing the return value from the module
- D. to print a result to standard out

Correct Answer: C



VCE & PDF

GeekCert.com

<https://www.geekcert.com/jn0-221.html>

2024 Latest geekcert JN0-221 PDF and VCE dumps Download

---

[JN0-221 PDF Dumps](#)

[JN0-221 Study Guide](#)

[JN0-221 Braindumps](#)