



JN0-251^{Q&As}

Mist AI - Associate (JNCIA-MistAI)

Pass Juniper JN0-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-251.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which statement is correct about a WLAN RF medium?

- A. A WLAN RF is a full duplex, contention free medium where each client transmits on a separate channel.
- B. A WLAN RF is a full-duplex, contention-free medium where 802.11 stations can transmit and receive at the same time.
- C. A WLAN RF is a half-duplex, shared medium where 802.11 stations contend with each other for access.
- D. A WLAN RF is a half-duplex, contention-free medium where the access point polls each station in turn.

Correct Answer: C

Reference: <https://thewlan.com.au/2017/01/13/cwna-chapter-7-wireless-lan-topologies/>

QUESTION 2

Which two statements are correct about microservices? (Choose two.)

- A. A microservice can be added without system downtime.
- B. All microservices can be updated at the same time without downtime.
- C. A microservice can be updated without system downtime.
- D. Each microservice uses the same virtual hardware.

Correct Answer: AC

QUESTION 3

Which Mist supported API is considered data-driven?

- A. RESTful
- B. Webhook
- C. WebSocket
- D. gRPC

Correct Answer: D

QUESTION 4

Which statement is correct about Mist SLEs?



- A. A Mist classifier is comprised of multiple SLEs.
- B. A Mist SLE is comprised of multiple classifiers.
- C. A Mist classifier is comprised of a single SLE.
- D. A Mist SLE is comprised of a single classifier.

Correct Answer: C

Reference: <https://www.mist.com/documentation/service-level-expectations-sle/>

QUESTION 5

You have just brought online a new site of AP43s. While verifying that everything looks good, you notice that all of the access points (APs) are reporting "insufficient power." The APs are connected to an 802.3at-capable switch. In this scenario, what would be the cause of the error?

- A. The cable run to each AP is too long.
- B. The Ethernet cable is plugged into the wrong port on the AP.
- C. The APs' firmware must be upgraded.
- D. LLDP-MED is not configured on the switch.

Correct Answer: D

[JN0-251 PDF Dumps](#)

[JN0-251 Exam Questions](#)

[JN0-251 Braindumps](#)