



JN0-333^{Q&As}

Security, Specialist (JNCIS-SEC)

Pass Juniper JN0-333 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-333.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click to the Exhibit button.

Referring to the exhibit, which two statements are true? (Choose two.)

```
[edit]
user@host# show security zones security zones security-zone
trust
host-inbound-traffic {
    system-services {
        all;
    }
}
interfaces {
    ge-0/0/0.0;
    ge-0/0/1.0 {
        host-inbound-traffic {
            system-services {
                ssh;
            }
        }
    }
}
```

- A. Interface ge-0/0/0 will not accept SSH connections.
- B. Interfaces ge-0/0/0.0 and ge-0/0/1.0 will allow SSH connections.
- C. Interface ge-0/0/0.0 will respond to pings.
- D. Interface ge-0/0/1.0 will respond to pings.

Correct Answer: BD

QUESTION 2

Click the Exhibit button.



```
[edit security policies from-zone trust to-zone untrust]
user@host# show
policy custom-ftp {
    match {
        source-address 172.25.11.0/24;
        destination-address any;
        application custom-ftp;
    }
    then {
        permit;
    }
}

[edit]
user@host# show applications
application custom-ftp destination-port 2121;
```

Users at a remote office are unable to access an FTP server located at the remote corporate data center as expected. The remote FTP server is listening on the non-standard TCP port 2121.

Referring to the exhibit, what is causing the problem?

- A. The FTP clients must be configured to listen on non-standard client ports for the FTP data channel negotiations to succeed.
- B. Two custom FTP applications must be defined to allow bidirectional FTP communication through the SRX Series device.
- C. The custom FTP application definition does not have the FTP ALG enabled.
- D. A new security policy must be defined between the untrust and trust zones.

Correct Answer: D

QUESTION 3

You recently configured an IPsec VPN between two SRX Series devices. You notice that the Phase 1 negotiation succeeds and the Phase 2 negotiation fails.

Which two configuration parameters should you verify are correct? (Choose two.)

- A. Verify that the IKE gateway proposals on the initiator and responder are the same.
- B. Verify that the VPN tunnel configuration references the correct IKE gateway.
- C. Verify that the IPsec policy references the correct IKE proposals.
- D. Verify that the IKE initiator is configured for main mode.

Correct Answer: AC



QUESTION 4

What are the maximum number of redundancy groups that would be used on a chassis cluster?

- A. The maximum number of redundancy groups use is equal to the number of configured physical interfaces.
- B. The maximum number of redundancy groups use is equal to one more than the number of configured physical interfaces.
- C. The maximum number of redundancy groups use is equal to the number of configured logical interfaces.
- D. The maximum number of redundancy groups use is equal to one more than the number of configured logical interfaces.

Correct Answer: C

QUESTION 5

Which statement describes the function of screen options?

- A. Screen options encrypt transit traffic in a tunnel.
- B. Screen options protect against various attacks on traffic entering a security device.
- C. Screen options translate a private address to a public address.
- D. Screen options restrict or permit users individually or in a group.

Correct Answer: B

[Latest JN0-333 Dumps](#)

[JN0-333 Practice Test](#)

[JN0-333 Braindumps](#)