

JN0-333^{Q&As}

Security, Specialist (JNCIS-SEC)

Pass Juniper JN0-333 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/jn0-333.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/jn0-333.html 2024 Latest geekcert JN0-333 PDF and VCE dumps Download

QUESTION 1
What are three valid virtual interface types for a vSRX? (Choose three.)
A. SR-IOV
B. fxp0
C. eth0
D. VMXNET 3
E. virtio
Correct Answer: ABD
QUESTION 2
What are two supported hypervisors for hosting a vSRX? (Choose two.)
A. VMware ESXi
B. Solaris Zones
C. KVM
D. Docker
Correct Answer: AC
QUESTION 3
You have configured source NAT with port address translation. You also need to guarantee that the same IP address is assigned from the source NAT pool to a specific host for multiple concurrent sessions.
Which NAT parameter would meet this requirement?
A. port block-allocation
B. port range twin-port
C. address-persistent
D. address-pooling paired
Correct Answer: D

QUESTION 4



https://www.geekcert.com/jn0-333.html

2024 Latest geekcert JN0-333 PDF and VCE dumps Download

What are the maximum number of redundancy groups that would be used on a chassis cluster?

- A. The maximum number of redundancy groups use is equal to the number of configured physical interfaces.
- B. The maximum number of redundancy groups use is equal to one more than the number of configured physical interfaces.
- C. The maximum number of redundancy groups use is equal to the number of configured logical interfaces.
- D. The maximum number of redundancy groups use is equal to one more than the number of configured logical interfaces.

Correct Answer: C

QUESTION 5

You want to ensure that any certificates used in your IPsec implementation do not expire while in use by your SRX Series devices.

In this scenario, what must be enabled on your devices?

- A. RSA
- B. TLS
- C. SCEP
- D. CRL

Correct Answer: C

Latest JN0-333 Dumps

JN0-333 Practice Test

JN0-333 Study Guide