



# JN0-334<sup>Q&As</sup>

Security-Specialist (JNCIS-SEC)

**Pass Juniper JN0-334 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-334.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which default protocol and port are used for JIMS to SRX client communication?

- A. WMI over TCP; port 389
- B. ADSI over TCP; port 389
- C. HTTPS over TCP; port 443
- D. RPC over TCP, port 135

Correct Answer: C

Reference: [https://www.juniper.net/documentation/en\\_US/jims/topics/task/configuration/jims-certificateconfiguring.html#:~:text=By%20default%2C%20the%20HTTPS%20port%20is%20443.andtext=The%20JIMS%20server%20communicates%20with,Firewall%20to%20allow%20this%20communication](https://www.juniper.net/documentation/en_US/jims/topics/task/configuration/jims-certificateconfiguring.html#:~:text=By%20default%2C%20the%20HTTPS%20port%20is%20443.andtext=The%20JIMS%20server%20communicates%20with,Firewall%20to%20allow%20this%20communication)

---

### QUESTION 2

What are two elements of a custom IDP/IPS attack object? (Choose two.)

- A. the attack signature
- B. the severity of the attack
- C. the destination zone
- D. the exempt rulebase

Correct Answer: AB

---

### QUESTION 3

Click the Exhibit button.

```
user@srx> show security flow session
Session ID: 19068, Policy name: trust-to-untrust/15, Timeout: 1800, Valid
Resource information : FTP ALG, 1, 0
  In: 172.20.104.10/58479 --> 172.18.1.2/21;tcp, Conn Tag: 0x0, If: ge-0/0/3.0,
Pkts: 42, Bytes: 1796,
  Out: 172.18.1.2/21 --> 172.20.104.10/58479;tcp, Conn Tag: 0x0, If: ge-0/0/4.0,
Pkts: 43, Bytes: 2739,
```

Which two statements are true about the session shown in the exhibit? (Choose two.)

- A. Two security policies are required for bidirectional traffic flow.



- B. The ALG was enabled by manual configuration.
- C. The ALG was enabled by default.
- D. One security policy is required for bidirectional traffic flow.

Correct Answer: AB

---

#### QUESTION 4

Which statement is true about high availability (HA) chassis clusters for the SRX Series device?

- A. Cluster nodes require an upgrade to HA compliant Routing Engines.
- B. Cluster nodes must be connected through a Layer 2 switch.
- C. There can be active/passive or active/active clusters.
- D. HA clusters must use NAT to prevent overlapping subnets between the nodes.

Correct Answer: C

---

#### QUESTION 5

The AppQoS module of AppSecure provides which function?

- A. The AppQoS module provides application-based routing.
- B. The AppQoS module prioritizes important applications.
- C. The AppQoS module provides routing, based on network conditions.
- D. The AppQoS module blocks access to risky applications.

Correct Answer: A