

JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/jn0-348.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which two port security features use the DHCP snooping database for additional port security? (Choose two.)

- A. dynamic ARP inspection
- B. MACsec
- C. IP Source Guard
- D. MAC learning

Correct Answer: AC

QUESTION 2

Which statement is true when using LAGs with an EX4300?

- A. Speeds on member links can differ.
- B. Member links must be contiguous.
- C. Half duplex is supported on the LAG.
- D. You can have up to 16 member links per LAG.

Correct Answer: D

QUESTION 3

Click the Exhibit button.



user@host> show route 0/0 exact detail inet.0: 14 destinations, 14 routes (14 active, 0 holddown, 0 hidden) 0.0.0.0/0 (1 entry, 1 announced) *Aggregate Preference: 130 Next hop type: Router, Next hop index: 546 Next-hop reference count: 4 Next hop: 172.30.25.1 via ge-0/0/1.100, selected State: <Active Int Ext> Local AS: 65400 Age: 1:03:46 Task: Aggregate Announcement bits (2): 0-KRT 2-OSPF AS path: I Flags: Generate Depth: 0 Active Contributing Routes (1): 10.0.0.0/16 proto BGP

Referring to the output shown in the exhibit, which two statements are true?

- A. The route is active
- B. The route is not active
- C. The route is a generate route
- D. The route is an aggregate route

Correct Answer: AC

QUESTION 4

What are three well-known mandatory BGP attributes? (Choose three.)

- A. community
- B. AS path
- C. local preference
- D. origin
- E. next hop

Correct Answer: BDE

QUESTION 5



What are two characteristics of IS-IS CSNPs? (Choose two.)

- A. IS-IS CSNPs contain header information for all link-state PDUs.
- B. IS-IS CSNPs are used to request a copy of a missing link state PDU.
- C. IS-IS CSNPs are used to maintain the link-state database synchronization.
- D. IS-IS CSNPs contain header information for specific requested link-state PDUs.

Correct Answer: AC

Latest JN0-348 Dumps

JN0-348 PDF Dumps

JN0-348 VCE Dumps