



JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two situations would cause dynamic ARP inspection to drop traffic? (Choose two.)

- A. if no IP-to-MAC address entry exists in the DHCP snooping database
- B. if the IP address in the ARP packet is deemed invalid
- C. if the requested MAC address exceeds the configured limit on the port
- D. if the ARP packet comes from a port that has been configured as trusted

Correct Answer: AB

QUESTION 2

When electing a DIS in an IS-IS network, what is used to break a priority tie?

- A. highest MAC address
- B. highest router ID
- C. lowest MAC address
- D. lowest router ID

Correct Answer: A

QUESTION 3

Which statement is true about IP-IP tunnels?

- A. The time-to-live value of the original packet is decremented.
- B. IP-IP tunnels are protocol agnostic.
- C. The packet is encapsulated unchanged before entering the tunnel.
- D. The packet header is replaced before entering the tunnel.

Correct Answer: B

QUESTION 4

Which two statements are true about an EX2300 device? (Choose two.)

- A. By default, trunk ports can carry untagged traffic.
- B. By default, all switch ports are trunk ports.



- C. By default, all switch ports are access ports.
- D. By default, all switch ports are associated with the default VLAN.

Correct Answer: CD

QUESTION 5

Which two statements are true about high availability on Junos devices? (Choose two.)

- A. BFD is faster at detecting failures than default GRE or OSPF timers.
- B. BFD is slower at detecting failures than default GRE or OSPF timers.
- C. NSR is dependent on helper routers to assist the routing platform in restoring routing protocol information.
- D. NSR is independent on helper routers to assist the routing platform in restoring routing protocol information.

Correct Answer: AD

[JN0-348 PDF Dumps](#)

[JN0-348 VCE Dumps](#)

[JN0-348 Braindumps](#)