

## JN0-348<sup>Q&As</sup>

Enterprise Routing and Switching, Specialist

### Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/jn0-348.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Click the Exhibit button.

```
user@R1# show interfaces lo0
unit 0 {
    family inet {
        address 10.42.0.1/32;
    family iso {
        address 49.0002.0010.0042.0001.00;
    }
}
user@R1# show protocols isis
interface ge-0/0/1.0 {
    level 2 disable;
interface lo0.0;
user@R2# show interfaces lo0
unit 0 {
    family inet {
        address 10.42.0.2/32;
    family iso {
        address 49.0001.0010.0042.0002.00;
    }
}
```

Referring to the exhibit, which configuration change is needed for an IS-IS Level 1 adjacency between R1 and R2?

- A. Configure the lo0 family ISO address 49.0002.0010.0042.0002.00 on R2
- B. Configure the lo0 family ISO address 49.0002.0010.0042.0002.00 on R1
- C. Enable Level 2 on R1\\'s ge-0/0/1 interface
- D. Disable Level 2 on R2\\'s ge-0/0/1 interface

# VCE & PDF GeekCert.com

#### https://www.geekcert.com/jn0-348.html

2024 Latest geekcert JN0-348 PDF and VCE dumps Download

Correct Answer: A

#### **QUESTION 2**

Which two requirements must be satisfied before graceful restart will work? (Choose two.)

- A. a stable network topology
- B. a neighbor configured with BFD
- C. a neighbor configured with graceful restart
- D. a neighbor with an uptime greater than an hour

Correct Answer: AC

#### **QUESTION 3**

When electing a DIS in an IS-IS network, what is used to break a priority tie?

- A. highest MAC address
- B. highest router ID
- C. lowest MAC address
- D. lowest router ID

Correct Answer: A

#### **QUESTION 4**

You configured a GRE tunnel that traverses a path using default MTU settings. You want to ensure that packets are not dropped of fragmented.

In this scenario, what is the maximum packet size that would traverse the GRE tunnel?

- A. 1500
- B. 1400
- C. 1524
- D. 1476

Correct Answer: D

#### **QUESTION 5**



#### https://www.geekcert.com/jn0-348.html 2024 Latest geekcert JN0-348 PDF and VCE dumps Download

Which two statements are true about an EX2300 device? (Choose two.)

- A. By default, trunk ports can carry untagged traffic.
- B. By default, all switch ports are trunk ports.
- C. By default, all switch ports are access ports.
- D. By default, all switch ports are associated with the default VLAN.

Correct Answer: CD

JN0-348 PDF Dumps

JN0-348 VCE Dumps

JN0-348 Study Guide