



JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.



In the exhibit, each IP subnet in the network is associated with a unique VLAN ID. Which action will ensure that Host C will communicate with Host A and Host B?

- A. Configure an IRB interface for each VLAN and associate it with its corresponding VLAN
- B. Configure a port-based ACL that permits inter-VLAN routing for all configured VLANs
- C. Configure all switch ports connecting to the host devices as trunk ports associated with all VLANs
- D. Configure all switch ports connecting to the host devices as access ports associated with a common VLAN

Correct Answer: A

QUESTION 2

Click the Exhibit button.



```
{master:0}
user@switch> show spanning-tree interface
```

Spanning tree interface parameters for instance 0

Interface	Port ID	Designated port ID	Designated bridge ID	Port Cost	State	Role
ge-0/0/8.0	128:521	128:521	8192.50c58daedb41	200	FWD	DESG
ge-0/0/9.0	64:522	64:522	8192.50c58daedb41	2000	FWD	DESG
ge-0/0/14.0	240:527	240:527	8192.50c58daedb41	20000	FWD	DESG
ge-0/0/15.0	128:528	128:528	8192.50c58daedb41	200000	FWD	DESG

Based on the output shown in the exhibit, which statement is correct?

- A. This switch has been elected as the root bridge
- B. This switch has a bridge priority of 32k
- C. The ge-0/0/15 interface is using the default port cost
- D. The ge-0/0/9 interface is using the default priority value

Correct Answer: A

QUESTION 3

What are two advantages of a point-to-point OSPF adjacency? (Choose two.)

- A. Only a DR is elected.
- B. No type 1 LSAs are generated.
- C. No type 2 LSAs are generated.
- D. There is quicker neighbor establishment.

Correct Answer: CD

QUESTION 4

Click the Exhibit button.



```
[edit protocols isis]
user@router-1# show
level 2 disable;
level 1 wide-metrics-only;
interface all;
```

```
[edit protocols isis]
user@router-2# show
level 1 disable;
interface all;
```

Referring to the exhibit, what will be the IS-IS adjacency result of the configurations?

- A. No IS-IS adjacencies will form.
- B. A level 1 and level 2 IS-IS adjacency will form.
- C. A level 2 IS-IS adjacency will form.
- D. A level 1 IS-IS adjacency will form.

Correct Answer: A

QUESTION 5

What are two characteristics of OSPF ABRs? (Choose two.)

- A. ABRs transmit routing information between the backbone and other areas.
- B. ABRs cannot be part of the backbone and another area at the same time.
- C. ABRs inject routing information from outside the OSPF domain.
- D. ABRs link two OSPF areas.

Correct Answer: AD