



JN0-349^{Q&As}

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-349.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Each PC and IP phone in your network is connected to a switch using the same port. All incoming data traffic is untagged and belongs to the v10 VLAN, while traffic coming from the IP phones is tagged with a VLAN value of 20 and should belong to the v20 VLAN on your switch.


In this scenario, which statement is correct?

- A. You must enable the voice VLAN feature on the incoming interfaces and assign the v20 VLAN.
- B. You must enable an IRB interface and assign it to the v10 and v20 VLANs.
- C. You must enable LLDP-MED on the incoming interfaces and assign the v20 VLAN.
- D. You must enable the guest VLAN feature on the incoming interfaces and assign the v20 VLAN.

Correct Answer: A

QUESTION 2

Click the Exhibit button.



Referring to the exhibit, Router 1 learns about Route X.

Which statement is correct about Route X when using the default BGP advertisement rules?

- A. R1 will not advertise this route to any peers.
- B. R3 will not advertise this route to R4 or R5 without an explicit policy.
- C. R4 and R5 will not advertise this route to each other.
- D. R2 will not advertise this route to R3 without an explicit policy.

Correct Answer: C



QUESTION 3

Click the Exhibit button.

```
{master:0}
user@switch> show spanning-tree bridge
STP bridge parameters
Context ID                : 0
Enabled protocol         : RSTP
  Root ID                 : 8192.50:c5:8d:ae:bd:41
  Root cost                : 40000
  Root port               : ge-0/0/14.0
  Hello time              : 2 seconds
  Maximum age             : 40 seconds
  Forward delay           : 30 seconds
  Message age             : 4
  Number of topology changes : 1
  Time since last topology changes : 64 seconds
  Topology change initiator : ge-0/0/14.0
  Topology change last recvd. from : 2c:6b:f5:31:06:0e
Local parameters
  Bridge ID               : 32768.50:c5:8d:ae:bd:41
  Extended system ID     : 0
  Internal instance ID   : 0
```

Referring to the exhibit, which statement is correct?

- A. The device is the root bridge?
- B. The spanning tree session has timed out.
- C. The local bridge priority is set to 8k.
- D. The bridge priority on the root device is set to 8k.

Correct Answer: D

QUESTION 4

What are three types of port designation specific to Private VLANs? (Choose three.)

- A. Promiscuous ports
- B. Transparent ports
- C. PVLAN trunk ports
- D. Designated ports




E. Isolated ports

Correct Answer: ACE

QUESTION 5

Click the Exhibit button.



Your company has connections to two ISPs. Each ISP is in a separate routing instance. You need to advertise the 0.0.0.0/0 prefix from both ISPs to all your devices.

Referring to the exhibit, which statement is true in this scenario?

- A. You must create and apply match input filters on interfaces ge-0/0/2 and ge-0/0/3.
- B. You must create a policy to allow traffic from your network to each ISP.
- C. You must create an internal routing instance for your network.
- D. You must create a RIB group to share interface routes.

Correct Answer: D

[Latest JN0-349 Dumps](#)

[JN0-349 Study Guide](#)

[JN0-349 Braindumps](#)