

# JN0-349<sup>Q&As</sup>

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

## Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/jn0-349.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Which statement about persistent MAC learning is correct?

- A. Trunk ports require MAC addresses to be configured on each VLAN.
- B. Port moves require manual operator intervention.
- C. Access ports must be configured with the no-mac-learning command.
- D. 802.1X must be configured on the port for persistent MAC learning to work.

Correct Answer: B

#### **QUESTION 2**

Click the Exhibit button.

```
user@router1# run show route 10.30.30.221 extensive hidden
inet.0: 103 destinations, 156 routes (103 active, 0 holddown, 4 hidden)
Restart Complete
10.30.30.221/32 (3 entries, 1 announced)
       BGP /-101
          Next hop type: Indirect, Next hop index: 0
Address: 0xc8d9ad0
          Next-hop reference count: 8
Source: 10.12.0.23
          Next hop type: Router, Next hop index: 578
Next hop: 10.252.11.0 via ae1.11, selected
          Session Id: 0x0
          Protocol next hop: 10.12.0.23
Indirect next hop: 0xc9181e0 262144 INH Session ID: 0x0
          State: <Hidden Ext>
          Inactive reason: Unusable path
Local AS: 64660 Peer AS: 4200000006
                46 Metric2: 0
          Age:
          Validation State:
                                unverified
          Task: BGP_420000006.10.12.0.23
          AS path: 4200000006 4200000108 4200000103 4200000100 4200000101 4200000104 I
          Communities: 0:2 target: 300301L:1 encapsulation: vxlan(0x8) router-mac:44:aa:50:b2:d6:e0
          Localpref: 100
Router ID: 10.12.0.23
          Hidden reason: rejected by import policy
          Indirect next hops: 1
               Protocol next hop: 10.12.0.23
          Indirect next hop: 0xc9181e0 262144 INH Session ID: 0x0
          Indirect path forwarding next hops: 1
               Next hop type: Router
Next hop: 10.252.11.0 via ae1.11
               Session Id: 0x0
10.12.0.23/32 Originating RIB: inet.0
 Node path count: 1
Forwarding nexthops: 1
Nexthop: 10.252.11.0 via ae1.11
Nexthop:
Session Id: 0
```

Why is the route shown in the exhibit hidden?

A. The router cannot reach the protocol next hop.

B. An MPLS LSP is unavailable.



- C. The router is being rejected through an import policy.
- D. The route is being rejected through an export policy.

Correct Answer: C

### **QUESTION 3**

What are three types of port designation specific to Private VLANs? (Choose three.)

- A. Promiscuous ports
- B. Transparent ports
- C. PVLAN trunk ports
- D. Designated ports
- E. Isolated ports
- Correct Answer: ACE

#### **QUESTION 4**

Which two statements about DIS elections in IS-IS are correct? (Choose two.)

- A. If a priority tie occurs, the router with the higher subnetwork point of attachment (SNPA) value becomes the DIS.
- B. The router with the higher priority value becomes the DIS.
- C. The router with the lower priority value becomes the DIS.
- D. If a priority tie occurs, the router with the lower subnetwork point of attachment (SNPA) value becomes the DIS.

Correct Answer: AB

#### **QUESTION 5**

You do not want any spanning tree protocols operating in your environment, and you want to ensure that no BPDUs can be introduced into the environment.

Which statement is true in this scenario?

- A. You must run a spanning tree protocol to block BPDUs.
- B. Incoming BPDUs are blocked by default if a spanning tree protocol is not operating.
- C. You can block BPDUs without running a spanning tree protocol using Layer 3 control.
- D. Incoming BPDUs can only be blocked by the root bridge.



Correct Answer: C

Latest JN0-349 Dumps

JN0-349 Exam Questions

JN0-349 Braindumps