

JN0-351^{Q&As}

Enterprise Routing and Switching Specialist (JNCIS-ENT)

Pass Juniper JN0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/jn0-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Click the Exhibit button.



You are building a network and make some configuration changes. While trying to validate these changes, you receive the error shown in the exhibit.

How would you solve this problem?

- A. You must create a new VLAN called all using the VLAN ID of 30.
- B. You must configure the ge-0/0/5.0 interface with family inet instead of family ethernet- switching.
- C. You must configure the port mode as trunk on the ge-0/0/5.0 interface.
- D. You must create two sub-interfaces on ge-0/0/5 with the appropriate VLAN member assigned to each.

Correct Answer: C

QUESTION 2

What are two Layer 2 firewall filter types? (Choose two.)

- A. port-based
- B. packet-based
- C. flow-based
- D. VLAN-based



https://www.geekcert.com/jn0-351.html 2024 Latest geekcert JN0-351 PDF and VCE dumps Download

Correct Answer: AD

QUESTION 3

Which protocol supports tunneling of non-IP traffic?

- A. GRE
- B. SSH
- C. IPsec
- D. IP-IP

Correct Answer: A

QUESTION 4

Which two statements are true about high availability on Junos devices? (Choose two.)

- A. BFD is faster at detecting failures than default GRE or OSPF timers.
- B. NSR is independent of helper routers to assist the routing platform in restoring routing protocol information.
- C. NSR is dependent on helper routers to assist the routing platform in restoring routing protocol information.
- D. BFD is slower at detecting failures than default GRE or OSPF timers.

Correct Answer: AB

Explanation: https://www.juniper.net/documentation/en_US/junos/topics/concept/nsr- overview.html

QUESTION 5

Which two statements are true about a unified in-service software upgrade (ISSU)? (Choose two.)

- A. The graceful Routing Engine switchover (GRES) and nonstop active routing (NSR) features must be enabled.
- B. It is possible to take PICs offline or bring them online during a unified ISSU.
- C. Unified ISSU is only supported by the dual Routing Engine platforms.
- D. The master Routing Engine and backup Routing Engine can be running different Junos versions before performing a unified ISSU.

Correct Answer: AC

JN0-351 PDF Dumps

JN0-351 Practice Test

JN0-351 Study Guide