



JN0-351^{Q&As}

Enterprise Routing and Switching Specialist (JNCIS-ENT)

Pass Juniper JN0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-351.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
user@router> show route 192.168.60.0/22
inet.0: 13 destinations, 13 routes (13 active, 0 holddown, 0 hidden)
  + = Active Route, - = Last Active, * = Both
192.168.60.0/22 *[Aggregate/130] 00:02:30
    > to 192.168.1.1 via ge-0/0/1.0
```

Which type of route is shown in the exhibit?

- A. generated
- B. direct
- C. aggregate
- D. static

Correct Answer: A

QUESTION 2

Click the Exhibit button.

```
[edit routing-options]
user@router# show | display inheritance no-comments
static {
  defaults {
    preference 20;
  }
  route 0.0.0.0/0 {
    next-hop 172.18.1.1;
    preference 5;
  }
  route 192.168.1.2/32 next-hop 172.20.111.10;
  route 192.168.2.0/30 next-hop [ 172.20.66.2 172.20.77.2 ];
  route 172.20.112.0/24 next-hop [ 172.20.66.2 172.20.77.2 ];
}
```

Which two statements about the configuration shown in the exhibit are correct? (Choose two.)

- A. Two next-hop interfaces should appear in the routing table for the 172.20.112.0/24 prefix.




- B. Multiple equal-cost next hops are installed in the forwarding table for the 192.168.2.0/30 prefix.
- C. The route preference is the same for each static route.
- D. Only the selected next-hop interface should appear in the forwarding table for the 172.20.112.0/24 prefix.

Correct Answer: AD

QUESTION 3

Click the Exhibit button.



Referring to the exhibit, which port will be selected as the RSTP root port on Switch-4?

- A. ge-0/0/13.0
- B. ge-0/0/8.0
- C. ge-0/0/9.0
- D. ge-0/0/12.0

Correct Answer: D

QUESTION 4

What is a characteristic of OSPF ASBRs?



- A. ASBRs transmit routing information between the backbone and other areas.
- B. ASBRs cannot be part of the backbone and another area at the same time.
- C. ASBRs inject routing information from outside the OSPF domain.
- D. ASBRs link two OSPF areas.

Correct Answer: C

QUESTION 5

You do not want any spanning tree protocols operating in your environment, and you want to ensure that no BPDUs can be introduced into the environment.

Which statement is true in this scenario?

- A. You must run a spanning tree protocol to block BPDUs.
- B. Incoming BPDUs are blocked by default if a spanning tree protocol is not operating.
- C. You can block BPDUs without running a spanning tree protocol using Layer 3 control.
- D. Incoming BPDUs can only be blocked by the root bridge.

Correct Answer: C

[Latest JN0-351 Dumps](#)

[JN0-351 Study Guide](#)

[JN0-351 Exam Questions](#)