



JN0-351^{Q&As}

Enterprise Routing and Switching Specialist (JNCIS-ENT)

Pass Juniper JN0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-351.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
user@host> show ospf database
  OSPF database, Area 0.0.0.0
  Type      ID          Adv Rtr      Seq          Age  Opt  Cksum  Len
  Router    *192.168.1.2  192.168.1.2  0x8000000c  1387 0x22 0x84ae  60
  Router    192.168.1.3  192.168.1.3  0x80000023  1249 0x22 0x545e  60
  Network   172.26.2.2    192.168.1.3  0x80000005  2049 0x22 0x43e3  32
  Network   172.26.3.2    192.168.1.3  0x80000005  2449 0x22 0x38ed  32
  Summary   *172.26.1.0   192.168.1.2  0x80000007  2541 0x22 0x4db7  28
  Summary   172.26.4.0    192.168.1.3  0x80000025  2249 0x22 0xe9f6  28
  Summary   *192.168.1.1  192.168.1.2  0x80000006  1613 0x22 0xa3bb  28
  Summary   192.168.1.4   192.168.1.3  0x8000001a  1649 0x22 0x57ef  28
  ASERSum   *192.168.1.1  192.168.1.2  0x80000007  2310 0x22 0x93c9  28

  OSPF database, Area 0.0.0.1
  Type      ID          Adv Rtr      Seq          Age  Opt  Cksum  Len
  Router    192.168.1.1  192.168.1.1  0x80000007    56 0x22 0x82c3  48

  OSPF AS SCOPE link state database
  Type      ID          Adv Rtr      Seq          Age  Opt  Cksum  Len
  Extern    172.18.1.0   192.168.1.1  0x80000005    96 0x22 0x374c  36
```

Referring to the output shown in the exhibit, which two statements are correct? (Choose two.)

- A. The device is not an ABR.
- B. The device originated the 192.168.1.2 database entry.
- C. The device originated the 192.168.1.1 database entry.
- D. The device is an ABR.

Correct Answer: BD

QUESTION 2

What are three requirements to ensure proper GRE or IP-IP tunnel routing? (Choose three.)

- A. Keepalives must be used on stateless tunneling protocols.
- B. Tunnel endpoints must have a route that directs traffic into the tunnel.
- C. BGP must be used on intermediate devices.
- D. Tunnel endpoints must have a valid route to the remote endpoint.
- E. All intermediary devices must have a route to the tunnel endpoints.



Correct Answer: BCD

QUESTION 3

Which two statements about BPDU protection are correct? (Choose two.)

- A. By default, you must manually clear a BPDU error condition when using BPDU protection.
- B. BPDU protection prevents unauthorized switches from connecting to and participating in your spanning tree topology.
- C. By default, BPDU protection prevents the root bridge from communicating with other STP members unless it receives a superior BPDU first.
- D. BPDU protection requires that STP or RSTP is configured on the switch.

Correct Answer: AB

QUESTION 4

What is a characteristic of OSPF ASBRs?

- A. ASBRs transmit routing information between the backbone and other areas.
- B. ASBRs cannot be part of the backbone and another area at the same time.
- C. ASBRs inject routing information from outside the OSPF domain.
- D. ASBRs link two OSPF areas.

Correct Answer: C

QUESTION 5

You are deploying a new switch configuration at a small branch using EX3400 Series switches. You are concerned about loop prevention.

In this scenario, which configuration would you deploy?

- A. RSTP
- B. EVPN
- C. MPLS D. BPDU

Correct Answer: A
