



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement about a virtual-router type of routing instance is correct?

- A. It is used to separate large networks into smaller administrative entities
- B. It is the only routing instance type supported on Junos devices
- C. It is used in Layer 3 VPN implementations
- D. It is used to create and maintain separate routing and forwarding tables

Correct Answer: D

QUESTION 2

You have two MX Series devices connected together and configured for Layer 2 operations. The interface that connects the two routers must carry tagged and untagged traffic.

Which approach would meet this objective?

- A. Configure the interfaces as access ports with the native VLAN option
- B. Configure the interfaces as trunk ports with the native VLAN option
- C. Configure the interfaces as access ports with the voice VLAN option
- D. Configure the interfaces as trunk ports with the voice VLAN option

Correct Answer: B

QUESTION 3

Which two characteristics describe IS-IS? (Choose two.)

- A. A collection of Level 1 routers serves as the IS-IS backbone
- B. Level 2 routers connect areas in an IS-IS autonomous system
- C. A collection of Level 2 routers serve as the IS-IS backbone
- D. A Level 1 IS routes between areas and toward other autonomous systems

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/isis-levelsunderstanding.html

QUESTION 4



Click the Exhibit button.

```
user@router> show route 10.100.110.1 hidden detail

inet.0: 33 destinations, 33 routes (22 active, 0 holddown, 11 hidden)
10.100.110.0/24 (1 entry, 0 announced)
  BGP Preference: 170/-101
    Next hop type: Unusable, Next hop index: 0
    Address: 0xc3ca334
    Next-hop reference count: 11
    State: <Hidden Int Ext>
    Local AS: 65514 Peer AS: 65514
    Age: 13
    Validation State: unverified
    Task: BGP_65514.192.168.0.2
    AS path: 65511 I
    Accepted
    Localpref: 100
    Router ID: 192.168.0.2
```

Referring to the exhibit, why is the route hidden?

- A. The wrong BGP address family is enabled for the BGP session
- B. The route has yet to be verified
- C. The protocol next hop is not reachable
- D. The MPLS LSP to the 192.168.0.2 peer is down

Correct Answer: C

QUESTION 5

Which IPv6 extension header notifies intermediary devices that they must inspect the packet's options?

- A. destination options header
- B. routing header
- C. hop-by-hop options header
- D. fragment header

Correct Answer: B

Reference: https://en.wikipedia.org/wiki/IPv6_packet