



# JN0-363<sup>Q&As</sup>

Service Provider Routing and Switching Specialist (JNCIS-SP)

## Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-363.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

Exhibit

```
[edit]
user@router# set routing-options nonstop-routing
[edit]
user@router#
```

Referring to the exhibit, which two additional steps should you take to fully configure NSR? (Choose two.)

- A. You should configure the max period for NSR precision timers.
- B. You must configure GRES.
- C. You must configure graceful restart.
- D. You should configure commit synchronization.

Correct Answer: AB

## QUESTION 2

Exhibit

```
user@R2> show ospf interface extensive
Interface State Area DR ID BDR ID Nbrs
ge-0/0/3.0 DR 0.0.0.1 192.168.1.2 192.168.1.1 1 Type: LAN, Address: 172.26.1.2, Mask:
255.255.255.252, MTU: 1500, Cost: 1
DR addr: 172.26.1.2, BDR addr: 172.26.1.1, Priority: 128, Adj count: 1
Hello: 10, Dead: 40, ReXmit: 5, Not Stub
Auth type: None Topology default (ID 0) -> Cost: 0
ge-0/0/1.0 BDR 0.0.0.0 192.168.1.3 192.168.1.2 1
Type: LAN, Address: 172.26.2.1, Mask: 255.255.255.252, MTU: 1500, Cost: 1
DR addr: 172.26.2.2, BDR addr: 172.26.2.1, Priority: 128, Adj count: 1 Hello: 10,
Dead: 40, ReXmit: 5, Not Stub
Auth type: None
Topology default (ID 0) -> Cost: 0
```

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The OSPF Interfaces are configured as point-to-point.
- B. The ge-0/0/1.0 Interface is configured as passive.
- C. The R2 device is an ABR.



D. Junos OS default OSPF hello timers and dead intervals are used on all interfaces.

Correct Answer: BD

### QUESTION 3

Exhibit

```
user@R1> show vrrp summary
Interface      State      Group  VR state  VR Mode  Type  Address
ge-0/0/4.0    up         10     master   Active   lcl   172.25.100.2
               vip       172.25.100.1

user@R2> show vrrp summary
Interface      State      Group  VR state  VR Mode  Type  Address
ge-0/0/4.0    up         10     master   Active   lcl   172.25.100.3
               vip       172.25.100.1
```

Referring to the exhibit, which statement is true about VRRP?

- A. VRRP communication between the two devices is not functioning correctly.
- B. Both routers are in the same state because they have the same VRRP priority.
- C. VRRP is functioning normally in active/active mode.
- D. The routers should use different virtual IP addresses for VRRP to function correctly.

Correct Answer: D

### QUESTION 4

Which two statements are correct about the BGP next-hop attribute value? (Choose two.)

- A. By default, the next-hop value is changed across IBGP links.
- B. By default, the next-hop value is changed across EBGP links.



C. By default, the next-hop value is not changed across IBGP links.

D. By default, the next-hop value is not changed across EBGP links.

Correct Answer: A

---

#### QUESTION 5

You are asked to configure an LSP which uses the OSPF link state database for path computations. Which two statements are correct in this scenario? (Choose two.)

A. You must use the no-cspf parameter in the label-switched-path configuration.

B. Traffic engineering extensions are enabled by default in OSPF.

C. Traffic engineering extensions are not enabled by default in OSPF.

D. You must use the policing parameter in the label-switched-path configuration.

Correct Answer: AC

[JN0-363 VCE Dumps](#)

[JN0-363 Practice Test](#)

[JN0-363 Braindumps](#)