



JN0-412^{Q&As}

Cloud, Specialist (JNCIS-Cloud)

Pass Juniper JN0-412 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-412.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What are two predefined tags that are used in Contrail Security policies? (Choose two.)

- A. label
- B. group
- C. family
- D. site

Correct Answer: AD

Reference: https://www.juniper.net/documentation/en_US/contrail20/information-products/pathway-pages/contrail-networking-security-user-guide.pdf

QUESTION 2

You decide to create only host routes for each of your virtual networks in a project. Each virtual network is sent its correct host prefix. When troubleshooting inter-VN connectivity, using the ping command, the response times out between two virtual networks even though your policies allow for it.

What is the problem in this scenario?

- A. The VMs do not have interfaces.
- B. Using host routes prevents the default route from being sent.
- C. Your VMs have incorrect DNS settings.
- D. The IPAM settings are incorrect.

Correct Answer: C

QUESTION 3

Which two statements about SDN and NFV are true? (Choose two.)

- A. NFV separates network control and forwarding functions and provides a centralized view of the network.
- B. SDN decouples network services from hardware appliances so they can run in software.
- C. SDN separates network control and forwarding functions and provides a centralized view of the network.
- D. NFV decouples network services from hardware appliances so they can run in software.

Correct Answer: CD

Reference: <https://www.sdxcentral.com/networking/nfv/definitions/whats-network-functions-virtualizationnfv/>



QUESTION 4

You are asked to create a connection between a VM and two ports on a QFX leaf device in the fabric.

Which Contrail feature must you configure to accomplish this task?

- A. virtual network policy
- B. floating IP
- C. virtual port group
- D. virtual network with route leaking

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/contrail19/information-products/pathway-pages/contrail-fabric-lifecycle-management-feature-guide.pdf#page=113andzoom=100,100,712

QUESTION 5

Which two statements regarding tags, within the Contrail Security framework, are correct? (Choose two.)

- A. RBAC determines which user accounts can modify or remove attached tags.
- B. Tags are communicated from the control node to vRouters through route updates.
- C. Only the CSPadmin user account can modify or remove attached tags.
- D. Tags are communicated from the config node to vRouters through route updates.

Correct Answer: AB

[Latest JN0-412 Dumps](#)

[JN0-412 Study Guide](#)

[JN0-412 Braindumps](#)