



JN0-412^{Q&As}

Cloud, Specialist (JNCIS-Cloud)

Pass Juniper JN0-412 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-412.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements about SDN and NFV are true? (Choose two.)

- A. NFV separates network control and forwarding functions and provides a centralized view of the network.
- B. SDN decouples network services from hardware appliances so they can run in software.
- C. SDN separates network control and forwarding functions and provides a centralized view of the network.
- D. NFV decouples network services from hardware appliances so they can run in software.

Correct Answer: CD

Reference: <https://www.sdxcentral.com/networking/nfv/definitions/whats-network-functions-virtualizationnfv/>

QUESTION 2

Which two statements about Kubernetes clusters are correct? (Choose two.)

- A. The master coordinates the cluster.
- B. The minions are responsible for running the applications.
- C. The nodes are responsible for running the applications.
- D. The pod controller coordinates the cluster.

Correct Answer: AB

Reference: https://www.juniper.net/documentation/en_US/contrail19/topics/task/installation/provisioningk8s-cluster.html

QUESTION 3

When creating a firewall rule in Contrail Security, which two types of endpoints are available? (Choose two.)

- A. virtual network
- B. tag
- C. domain
- D. service level

Correct Answer: AB

Reference: https://www.juniper.net/documentation/en_US/contrail20/information-products/pathway-pages/contrail-networking-security-user-guide.pdf

**QUESTION 4**

Click the Exhibit button.

```
{
  BgpPeerInfoData: {
    state_info: {
      last_state: "Idle",
      state: "Idle",
      last_state_at: 1394778927107639
    },
    families: [
      "IPv4:Unicast"
    ],
    peer_type: "external",
    local_asn: 54321,
    configured_families: [
      "inet-vpn"
    ],
    event_info: {
      last_event_at: 1394778927107880,
      last_event: "fsm::EvStart"
    },
    local_id: 181196816,
    send_state: "not advertising",
    peer_address: "10.204.216.253",
    peer-id: 181197053,
    hold_time: 90,
    peer_asn: 12345
  }
}
```

Within your Contrail cluster, a BGP peer is not advertising routes as expected. After issuing the curl `http://:8081/analytics/uves/bgp-peers` command, you receive the output show in the exhibit.

What is causing this problem?

- A. an incorrect local ID
- B. an incorrect peer type
- C. an incorrect IP address
- D. an incorrect family

Correct Answer: D



QUESTION 5

Two virtual machines that belong to the same virtual network are not able to communicate with each other. Which statement is true in this scenario?

- A. A floating IP address is assigned to the virtual machine.
- B. Images used to spawn the two virtual machines have different flavors.
- C. A security group is blocking the communication.
- D. The two virtual machines are in different availability zones.

Correct Answer: C

[Latest JN0-412 Dumps](#)

[JN0-412 Practice Test](#)

[JN0-412 Study Guide](#)