



JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are asked by your manager to automatically switch traffic from the primary link to the backup link on the MX Series device at the branch site whenever latency is above 300 ms over a 5-minute period. Which type of Junos script would you use in this scenario?

- A. Op
- B. SNMP
- C. Commit
- D. Event

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/junos-script-automationoverview.html

QUESTION 2

Which transport protocol must be supported by RFC-compliant NETCONF implementations?

- A. TLS
- B. Telnet
- C. BEEP
- D. SSH

Correct Answer: D

The NETCONF protocol uses a simple remote procedure call (RPC) layer running over secure transports to facilitate communication between a client and a server. The Secure Shell (SSH) [6] is the mandatory secure transport that all NETCONF clients and servers are required to implement as a means of promoting interoperability. Reference: https://link.springer.com/content/pdf/10.1007/978-3-642-02627-0_7.pdf

QUESTION 3

Your organization is creating a custom YANG module. You are asked to create a leaf node called timeout with a data type of duration.

In this scenario, what is the appropriate syntax for this leaf node?



```
A. timeout leaf {  
    description "timeout duration";  
    type duration;  
}
```

```
B. timeout leaf {  
    description "timeout duration";  
    typedef duration;  
}
```

```
C. leaf timeout {  
    description "timeout duration";  
    typedef duration;  
}
```

```
D. leaf timeout {  
    description "timeout duration";  
    type duration;  
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 4

The XML tag is a member of which NETCONF protocol layer?

A. Transport

B. Content

C. Messages D. Operations

Correct Answer: A

The NETCONF protocol uses an RPC-based communication model. NETCONF peers use and elements to provide transport-protocol-independent framing of NETCONF requests and responses. Reference:
<https://tools.ietf.org/html/rfc6241>



QUESTION 5

You want to push a configuration onto a Junos device without using NETCONF. Which two will accomplish this task?
(Choose two)

- A. ZTP
- B. Ansible
- C. JET
- D. JSNAPy

Correct Answer: AC

[Latest JN0-420 Dumps](#)

[JN0-420 Exam Questions](#)

[JN0-420 Braindumps](#)