JN0-420 Q&As

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/jn0-420.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

Click the Exhibit button. Exhibit:

```
[root@ansible-cm] # cat variables.yml
$ANSIBLE_VAULT; 1.1; AES256
31415961343966623035373532313264333633663764353763393066643131306565636 46
33266
34
37303261656665653566653431373131612345693363366 40a653939327069760666 6
6565373765326236323535326162613531234566366539626237633962373736623865343
63066
63
643037663330633936 0a343065363331313532633036343866376330623634653538353 13
23141
59
3835
```

Your manager asks you to troubleshoot an Ansible problem when logging into a Junos device. You notice

the Ansible play in question has a vars_files argument that calls the variables.yml entry file. The contents

of that file are displayed in the exhibit.

What is happening in this scenario?

A. The file is an SSH key

B. The variables.yml file is not actually a YAML file

C. The file is encrypted with ansible-vault

D. The file is encrypted with ansible

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos-ansible1.0/topics/task/configuration/junosansible-authenticating-users.html

QUESTION 2

Which messaging protocol do JET service APIs use to interface with the Junos OS?

A. NETCONF

B. MQTT

C. RabbitMQ

D. gRPC

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/jet1.0/information-products/pathway-pages/jetdeveloper-guide.html

QUESTION 3

What is the purpose of an __init__.py file?

A. An __init__.py file initializes a Python application with default values for instantiated objects

B. An __init__.py file indicates to the Python interpreter that a directory contains Python packages or modules

C. __init__.py file sets all magic attributes with the __init__.prefix with the appropriate default values

D. An __init__.py file contains strings for additional directories that the Python interpreter adds to sys.path []

Correct Answer: B

QUESTION 4

Which pair of daemons in the Junos OS handle automation?

A. mgd and jsd

B. mgd and JET

C. jsd and gRPC

D. JET and gRPC

Correct Answer: A

QUESTION 5

What are three types of Juniper on-box scripts? (Choose three)

A. operational

B. expect

C. Ansible

D. event

E. commit

Correct Answer: ADE

Reference: "Network-Embedded Management and Applications" section 6.2.1

Latest JN0-420 Dumps JN0-420 PDF Dumps JN0-420 Study Guide