



JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button. Exhibit:

```
- - -  
- name: Play 1  
  hosts: localhost  
  connection: local  
  gather_facts: no  
  tasks:  
    - name: Task C  
      command: /bin/true  
    - name: Task B  
      fail:  
        msg: "Task B failed."  
    - name: Task A  
      command: /bin/true
```

Referring to the exhibit, what is the execution order of tasks in the Ansible playbook?

- A. Task A > Task B
- B. Task A > Task B > Task C
- C. Task C > Task B
- D. Task C > Task B > Task A

Correct Answer: A

Reference: http://docs.ansible.com/ansible/latest/playbooks_intro.html

QUESTION 2

Which YAML document represents a valid mapping (dictionary) of sequences (lists)?



A. - - -

```
[ge-0/0/0:
  - "10.0.0.1"
  - "192.168.1.1"
ge-0/0/1:
  - "172.16.1.2"
  - "10.1.2.3"]
```

B. - - -

```
ge-0/0/0
  - "10.0.0.1"
  - "192.168.1.1"
ge-0/0/1
  - "172.16.1.2"
  - "10.1.2.3"
```

C. - - -

```
ge-0/0/0:
  - "10.0.0.1"
  - "192.168.1.1"
ge-0/0/1:
  - "172.16.1.2"
  - "10.1.2.3"
```

D. - - -

```
- ge-0/0/0:
  - "10.0.0.1"
  - "192.168.1.1"
- ge-0/0/1:
  - "172.16.1.2"
  - "10.1.2.3"
```

A. Option A

B. Option B

C. Option C



D. Option D

Correct Answer: D

Reference: <https://github.com/Animosity/CraftIRC/wiki/Complete-idiot%27s-introduction-to-yaml>

QUESTION 3

Which command is valid for accessing a Junos device using the RESTful API on the default port?

- A. `curl http://192.168.1.1/rpc/get-interface-information?interface-name=1o0 -u "user:pass123"`
- B. `curl http://user:pass123@192.168.1.1/rpc/get-interface-information?interface-name=1o0`
- C. `curl -u "user:pass123" http://192.168.1.1:80/rpc/get-interface-information?interface-name=1o0`
- D. `curl http://user:pass123@192.168.1.1:3000/rpc/get-interface-information?interface-name=1o0`

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos/topics/task/configuration/rest-apisubmitting-post-request.html

QUESTION 4

What are two format distinctions to know when using YAML? (Choose two)

- A. white space indentation sensitive
- B. tab indentation not allowed
- C. tab indentation allowed
- D. white space indentation insensitive

Correct Answer: AB

Because YAML is white-space sensitive and indentation is significant (not allowed), you should always use spaces rather than tabs when creating playbooks. In YAML, items preceded by a hyphen (-) are considered list items, and the key:value notation represents a hash. Reference: https://www.juniper.net/documentation/en_US/junos-ansible1.0/topics/task/program/junosansible-playbooks-creating-executing.html

QUESTION 5

Click the Exhibit button. Exhibit:



```
>>> response = dev.rpc.get_system_users_information(normalize=True)
>>> print etree.tostring(response, pretty_print=True)
<system-users-information>
  <uptime-information>
    <date-time seconds="1504327069">11:09AM</date-time>
    <up-time seconds="611640">7 days, 1:54</up-time>
    <active-user-count format="3 users">3</active-user-count>
    <load-average-1>0.41</load-average-1>
    <load-average-5>0.38</load-average-5>
    <load-average-15>0.40</load-average-15>
    <user-table>
      <user-entry>
        <user>user</user>
        <tty>pts/0</tty>
        <from>172.29.110.83</from>
        <login-time seconds="1504327069">9:10AM</login-time>
        <idle-time seconds="900">15</idle-time>
        <command>-cli (cli)</command>
      </user-entry>
      <user-entry>
        <user>user</user>
        <tty>pts/1</tty>
        <from>172.29.110.83</from>
        <login-time seconds="1504270697">10:51AM</login-time>
        <idle-time seconds="1020">17</idle-time>
        <command>-cli (cli)</command>
      </user-entry>
      <user-entry>
        <user>user</user>
        <tty>pts/2</tty>
        <from>172.29.110.83</from>

        <login-time seconds="1504029166">10:52AM</login-time>
        <idle-time seconds="1020">17</idle-time>
        <command>-cli (cli)</command>
      </user-entry>
    </user-table>
  </uptime-information>
</system-users-information>
```

Referring to the exhibit, which Python statement selects the element for the user logged in on the pts/2 TTY?

A. `response.find("./uptime-information/user-table/user-entry/tty=\\pts/2\\")`



B. `response.find("./uptime-information/user-table/[tty=\\'pts/2\\']/user-entry")`

C. `response.find("../user-entry/[tty=\\'pts/2\\']")`

D. `response.find("./uptime-information/user-table/user-entry@tty=\\'pts/2\\'")`

Correct Answer: B

[Latest JN0-420 Dumps](#)

[JN0-420 Practice Test](#)

[JN0-420 Exam Questions](#)