

JN0-450^{Q&As}

Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/jn0-450.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

What are three authorization methods allowed for Mist guest portals? (Choose three.)

- A. authentication code
- B. static MAC
- C. passphrase
- D. social logins
- E. certificates
- Correct Answer: ACD

Reference: https://www.mist.com/documentation/sponsored-guest-access-wlan/

QUESTION 2

What is a prerequisite for AP-name generation under auto-provisioning?

- A. The LLDP system name should be configured on the switch ports.
- B. The AP must have the default name of "mist
- C. The LLDP description should be configured on the switch ports.
- D. The AP must be connected to a Juniper EX Series switch.

Correct Answer: C

Reference: https://www.mist.com/documentation/auto-provisioning/

QUESTION 3

Which two statements are correct about choosing your Wi-Fi AP\\'s channel? (Choose two.)

- A. When channels are the same, APs will not interfere with one another and cause retransmissions.
- B. Adding another nearby AP on the same channel adds additional capacity for that channel.
- C. Adding another nearby AP on the same channel does not increase the capacity for that channel.
- D. When channels overlap, APs will interfere with one another and cause retransmissions.
- Correct Answer: CD

Reference: https://www.networkworld.com/article/2215287/coping-with-wi-fi-s-biggest- probleminterference.html



QUESTION 4

Which two SLEs measure the amount of time that it takes for a process to complete? (Choose two.)

- A. roaming
- B. AP uptime
- C. throughput
- D. time to connect

Correct Answer: CD

Reference: https://www.juniper.net/documentation/us/en/day-one-plus/mist/mist-cloud-day- one-plus.pdf

QUESTION 5

You need to deploy an external, directional patch-panel antenna to provide coverage in a specific area. You plan to use a Mist AP43, which has a 4-stream 5 GHz radio, a 4-stream 2.4 GHz radio, and a dual-band 2-stream radio for monitoring. In this scenario, how many dual-band connectors should the antenna have?

- A. 4 connectors
- B. 10 connectors
- C. 6 connectors
- D. 3 connectors
- Correct Answer: C

Reference: https://www.mist.com/resources/ap43-access-point/

Latest JN0-450 Dumps

JN0-450 PDF Dumps

JN0-450 Exam Questions