



JN0-450^{Q&As}

Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements are correct when determining AP placement in the Mist UI? (Choose two.)

- A. The AP height must be recorded correctly.
- B. Use vBeacons to simulate user locations while verifying network coverage.
- C. The floor plan map size should be properly scaled.
- D. You must ensure that the floor plan map is oriented to face true north.

Correct Answer: AC

Reference: <https://www.mist.com/documentation/good-location-setup/>

QUESTION 2

Referring to the exhibit, what are two reasons why a Mist AP would have multiple IP addresses? (Choose two.)

Status	
Status	Connected
DHCP Server	10.10.10.1
IP Address (vlan1)	10.10.10.16/24,fe80:0:...
IP Address (vlan100)	10.10.100.22/24,fe80:...
Gateway	10.10.10.1
Primary DNS	8.8.8.8
Secondary DNS	
External IP Address	122.172.108.135
No. Clients	0
Uptime	3h
Last Seen	05:51:36 PM, Mar 27



- A. One IP address is used for control traffic and one address is used for management traffic.
- B. The Local Status Page is enabled in the site settings.
- C. One IP address is used for redundancy.
- D. A guest portal is configured on a tagged VLAN.

Correct Answer: BD

Reference: <https://www.mist.com/documentation/aps-use-ip-addresses/>

QUESTION 3

What are three available rate limiting options in the Mist UI? (Choose three.)

- A. Network
- B. Application
- C. wLan
- D. Per-Client
- E. Per-Site

Correct Answer: BCD

Reference: <https://www.mist.com/documentation/wlan-rate-limiting/>

QUESTION 4

What do 802.11 stations perform to help avoid collisions on the WLAN medium?

- A. 802.11 stations detect collisions and set a back-off timer.
- B. Listen to verify that the medium is free before transmitting.
- C. Stations only transmit when polled by the access point.
- D. Transmit on a fixed schedule.

Correct Answer: B

Reference: <https://blogs.arubanetworks.com/industries/understanding-802-11-medium-contention/>

QUESTION 5

How should Mist AP43 access points be mounted for location-based services?

- A. table mounted (logo face up)



- B. horizontal (logo face down)
- C. vertical (wall mounted)
- D. above the ceiling tile (logo face up)

Correct Answer: B

Reference: <https://www.mist.com/documentation/adding-ap-location/>

[JN0-450 PDF Dumps](#)

[JN0-450 Practice Test](#)

[JN0-450 Study Guide](#)