



# JN0-450<sup>Q&As</sup>

Mist AI Specialist (JNCIS-MistAI)

## Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-450.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What does Mist's patented 16-element vBLE Antenna Array do when "engagement" is enabled?


- A. performs radio resource management
- B. locates Wi-Fi assets
- C. transmits unique and directional BLE beams
- D. performs personal pre-shared key sharing

Correct Answer: C

Reference: <https://www.mist.com/resources/ap61-access-point/>

### QUESTION 2

A network engineer is looking to provision a new WLAN through the REST API. Referring to the exhibit, which HTTP method should the request use to achieve this goal?



- A. POST
- B. DELETE
- C. GET
- D. PUT


Correct Answer: A



Reference: <https://www.mist.com/documentation/mist-api-introduction/>

### QUESTION 3

Referring to the exhibit, what are two reasons why a Mist AP would have multiple IP addresses? (Choose two.)

Status	
Status	 Connected
DHCP Server	10.10.10.1
IP Address (vlan1)	10.10.10.16/24,fe80:0:...
IP Address (vlan100)	10.10.100.22/24,fe80:...
Gateway	10.10.10.1
Primary DNS	8.8.8.8
Secondary DNS	
External IP Address	122.172.108.135
No. Clients	0
Uptime	3h
Last Seen	05:51:36 PM, Mar 27

- A. One IP address is used for control traffic and one address is used for management traffic.
- B. The Local Status Page is enabled in the site settings.
- C. One IP address is used for redundancy.
- D. A guest portal is configured on a tagged VLAN.

Correct Answer: BD

Reference: <https://www.mist.com/documentation/aps-use-ip-addresses/>

### QUESTION 4



Which statement is correct about wireless assurance?

- A. Wireless assurance is a legacy WLAN construct that is difficult to use.
- B. Wireless assurance can be used to proactively optimize WLAN performance.
- C. Wireless assurance is used by clients to ensure that a Wi-Fi connection is stable and reliable before joining.
- D. Wireless assurance does not require a subscription.

Correct Answer: B

Reference: <https://www.juniper.net/us/en/products/cloud-services/wi-fi-assurance.html>

---

### QUESTION 5

Some users cannot connect to the network. You want to identify these users. In Marvis, which query accomplishes this task?

- A. troubleshoot access points
- B. unhappy clients
- C. troubleshoot clients
- D. list clients

Correct Answer: D

Reference: <https://www.mist.com/documentation/useful-marvis-queries/>

[Latest JN0-450 Dumps](#)

[JN0-450 Study Guide](#)

[JN0-450 Braindumps](#)