



# JN0-450<sup>Q&As</sup>

Mist AI Specialist (JNCIS-MistAI)

**Pass Juniper JN0-450 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-450.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

How should Mist AP43 access points be mounted for location-based services?

- A. table mounted (logo face up)
- B. horizontal (logo face down)
- C. vertical (wall mounted)
- D. above the ceiling tile (logo face up)

Correct Answer: B

Reference: <https://www.mist.com/documentation/adding-ap-location/>

### QUESTION 2

Referring to the exhibit, what are two reasons why a Mist AP would have multiple IP addresses? (Choose two.)

Status	
Status	<input checked="" type="checkbox"/> Connected
DHCP Server	10.10.10.1
IP Address (vlan1)	10.10.10.16/24,fe80:0:...
IP Address (vlan100)	10.10.100.22/24,fe80:...
Gateway	10.10.10.1
Primary DNS	8.8.8.8
Secondary DNS	
External IP Address	122.172.108.135
No. Clients	0
Uptime	3h
Last Seen	05:51:36 PM, Mar 27



- A. One IP address is used for control traffic and one address is used for management traffic.
- B. The Local Status Page is enabled in the site settings.
- C. One IP address is used for redundancy.
- D. A guest portal is configured on a tagged VLAN.

Correct Answer: BD

Reference: <https://www.mist.com/documentation/aps-use-ip-addresses/>

---

### QUESTION 3

What are two traffic types that would be filtered through a configuration on a WLAN? (Choose two.)

- A. DHCP broadcasts
- B. dynamic DNS
- C. ARP broadcasts
- D. multicast video

Correct Answer: CD

Reference: <https://www.mist.com/documentation/isolation/>

---

### QUESTION 4

Your team is asked to build a wireless network for an apartment building. The customer wants to have a single WLAN advertised, but still provide isolation between groups of users. In this scenario, which statement correctly describes the solution?

- A. A single key is generated to access multiple SSIDs with personal WLAN enabled
- B. Additional VLANs are required to segment the users.
- C. Multiple unique keys are generated to access a single SSID with personal WLAN enabled.
- D. Private VLANs are required to segment the users.

Correct Answer: C

Reference: <https://www.mist.com/documentation/personal-wlans/>

---

### QUESTION 5

Which two statements are correct about switch adoption? (Choose two.)

- A. Greenfield switch adoption requires cloud-enabled switches with a claim or activation code.



B. Switch adoption uses SSH over TCP port 443.

C. Switch adoption requires Mist AP.

D. Brownfield switch adoption requires manual adoption and is used for switches that do not have a claim or activation code.

Correct Answer: AD

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/nce/topics/example/nce177-day0-mist-with-ex-switches.html](https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/nce177-day0-mist-with-ex-switches.html)

[Latest JN0-450 Dumps](#)

[JN0-450 PDF Dumps](#)

[JN0-450 VCE Dumps](#)