



JN0-450^{Q&As}

Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Referring to the exhibit, how much power will be lost from point A to point B assuming line of sight?



- A. 10 dB
- B. 6 dB
- C. 4 dB
- D. 3 dB

Correct Answer: B

QUESTION 2

What does a 3dBi antenna do to a received signal?

- A. It increases the power by a factor of 3.
- B. It increases the power by a factor of 10.
- C. It increases the power by a factor of 2.
- D. It decreases the power by a factor of 3.



Correct Answer: A

Reference: <https://www.telewave.com/2018/02/understanding-antenna-gain/>

QUESTION 3

Some users cannot connect to the network. You want to identify these users. In Marvis, which query accomplishes this task?

- A. troubleshoot access points
- B. unhappy clients
- C. troubleshoot clients
- D. list clients

Correct Answer: D

Reference: <https://www.mist.com/documentation/useful-marvis-queries/>

QUESTION 4

Which statement is correct about Mist guest portals?

- A. A guest portal is a physical location where guests can go to access Wi-Fi services.
- B. A guest portal is a landing page where users can authenticate and access the guest WLAN.
- C. A guest portal is a landing page in the MIST UI where clients can make changes to WLANs.
- D. A guest portal is a physical location where clients can access corporate Wi-Fi networks.

Correct Answer: B

Reference: <https://www.mist.com/documentation/mist-guest-portal/>

QUESTION 5

What will the BLE array be doing in the configuration shown in the exhibit?



Bluetooth based Location Services

- vBLE Engagement
 - App Wakeup
- Asset Visibility

A. listening and transmitting

B. transmitting only

C. listening only

D. setting vBLEs

Correct Answer: C

Reference: <https://www.mist.com/documentation/where-is-ble-controlled/>

[Latest JN0-450 Dumps](#)

[JN0-450 Practice Test](#)

[JN0-450 Study Guide](#)