

JN0-450^{Q&As}

Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/jn0-450.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You are troubleshooting a device that has not successfully connected to the network. You know the device\\'s hostname, and have taken all steps to locate it in the Mist dashboard, including asking Marvis to locate the device. However, you are not able to find the device in the Mist dashboard. In this scenario, what is the problem?

- A. You need to ask Marvis to locate a client, not an AP.
- B. The device has not successfully associated to the network.
- C. You need to select the correct group of access points.
- D. You have the wrong SLE selected.

Correct Answer: A

Reference: https://www.mist.com/documentation/troubleshoot-specific-connectivity-issues- using-marvis/

QUESTION 2

You need to deploy an external, directional patch-panel antenna to provide coverage in a specific area. You plan to use a Mist AP43, which has a 4-stream 5 GHz radio, a 4-stream 2.4 GHz radio, and a dual-band 2-stream radio for monitoring. In this scenario, how many dual-band connectors should the antenna have?

- A. 4 connectors
- B. 10 connectors
- C. 6 connectors
- D. 3 connectors
- Correct Answer: C

Reference: https://www.mist.com/resources/ap43-access-point/

QUESTION 3

Referring to the exhibit, what does the security alert indicate?



Rougue AP detected ÷

Reporting APs

SSIDs

d4:20:b0:02:18:a9

Linksys05406

Rogue BSSIDs

302303c4f44f

A. An AP that is not part of the Mist Org is connected to the same wired network as the Mist APs.

B. An AP that is not part of the Mist Org is launching a DDoS attack on the Mist APs.

C. An AP that is not part of the Mist Org is advertising the same SSIDs as the Mist APs.

D. An AP that is not part of the Mist Org is operating in the same RF channel as the nearby Mist AP.

Correct Answer: A

Reference: https://www.mist.com/documentation/rogue-neighbor-honeypot-aps/

QUESTION 4

What are three available rate limiting options in the Mist UI? (Choose three.)

- A. Network
- **B.** Application
- C. wLan
- D. Per-Client
- E. Per-Site
- Correct Answer: BCD

Reference: https://www.mist.com/documentation/wlan-rate-limiting/

QUESTION 5



MARVIS

tural Language	Query Language			
vant to				
		ACTIONS		+ Org 🔏 Site
0 Switch 2 AP 2 Ap Off 0 Health Ch	line eck Fall	entication DHCP, DNS	RF	Clients
AP OF	FLINE [BET	A]		
For	ECK THE AP CONNECTION TO T	se test the cableport or perform a factory reset. For issues w	rith tihe ensine switchsite,	
CHI For	ECK THE AP CONNECTION TO 1 issues with individual APs, pleas	se test the cableport or perform a factory reset. For issues w	vith tihe ensine switchsite, Date	

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The AP is able to reach the Mist cloud.
- B. The AP is not able to reach the Mist cloud.
- C. The AP\\'s radios are not broadcasting SSIDs.
- D. The AP\\'s radios are broadcasting SSIDs.

Correct Answer: B

JN0-450 PDF Dumps

JN0-450 Practice Test

JN0-450 Braindumps