



JN0-451^{Q&As}

Mist AI - Specialist (JNCIS-MistAI)

Pass Juniper JN0-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-451.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Your organization has recently purchased new VoIP handsets. All of the VoIP handsets fail to connect to the corporate WLAN. However, all other devices connect successfully. You expect that there might be a bug with the new handsets. The vendor asks you to provide a pcap file of the handsets' connection attempts.

Which Juniper Mist feature will provide this file?

- A. Dynamic Packet Capture
- B. Service Level Expectations
- C. Clients Insights
- D. Alerts dashboard

Correct Answer: A

QUESTION 2

Click the Exhibit button.

The screenshot shows the Juniper Mist Security interface. At the top, there's a 'Security' header, a dropdown for 'site Primary Site', and buttons for '1 Hr' and '24 Hrs'. On the right, there are buttons for 'Generate PCI Report' and 'View Client Classification'. Below the header, there are tabs for 'Threats', 'Neighbor APs', 'Approved APs', 'List', and 'Location'. The 'List' tab is selected, displaying a table of detected WLANs.

SSID	BSSID	Band	Channel	Avg. RSSI	Seen By	Nearest AP	Location
CS-recnet	[BSSID]		1	-55.9 dBm	1 APs	AP43	Home
Frontier3984	[BSSID]		1	-76.6 dBm	1 APs	AP43	Home
Verizon-5G_Tuna	[BSSID]		1	-79.0 dBm	1 APs	AP43	Home
NETGEAR24	[BSSID]		4	-78.2 dBm	1 APs	AP43	Home
Eero1234	[BSSID]		5	-78.9 dBm	1 APs	AP43	Home
Bob24WiFi	[BSSID]		6	-69.5 dBm	1 APs	AP43	Home

Referring to the exhibit, in the USA, which two statements are correct? (Choose two.)

- A. The WLAN with SSID Eero1234 is not configured to industry best practices.
- B. The WLAN with SSID Eero1234 is configured to industry best practices.
- C. The WLAN with SSID NETGEAR24 is not configured to industry best practices.
- D. The WLAN with SSID NETGEAR24 is configured to industry best practices.

Correct Answer: AC



QUESTION 3

You are asked to set up occupancy analytics for an office that has an existing Mist AP.

Which three types of devices are counted by default? (Choose three.)

- A. mobile app clients
- B. cellular clients
- C. Wi-Fi clients
- D. Zigbee clients
- E. BLE assets

Correct Answer: ACE

QUESTION 4

Which two authentication methods would be used with a guest portal? (Choose two.)

- A. social login
- B. external portal
- C. RSA
- D. Kerberos

Correct Answer: AB

QUESTION 5

Referring to the exhibit, you asked Marvis to troubleshoot a client. In this scenario, what did Marvis determine?



MARVIS



A. two authentication failures over this week

B. two DHCP failures today

C. DHCP errors over the past seven days

D. two authentication failures today

Correct Answer: A

Reference: <https://www.mist.com/documentation/mist-experience-marvis-client/>

[JN0-451 Study Guide](#)

[JN0-451 Exam Questions](#)

[JN0-451 Braindumps](#)