



# JN0-451<sup>Q&As</sup>

Mist AI - Specialist (JNCIS-MistAI)

## Pass Juniper JN0-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-451.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You are using location-based services (LBS) at a new warehouse and placed the APs on the floor plan with the correct scale. The APs are mounted on trusses, 14 feet (4.3 meters) from the floor.

Which two actions ensure correct location accuracy in this scenario? (Choose two.)

- A. Install Virtual Beacons in each aisle.
- B. Configure the height of each AP.
- C. Determine the orientation of each AP.
- D. Disable the 2.4 GHz Wi-Fi radios to reduce interference.

Correct Answer: BC

---

### QUESTION 2

Once a client discovers an access point, what is the correct order of steps for successful 802.1X authentication?

- A. Open System Authentication -> 802.1X Authentication -> Association
- B. Association -> 802.1X Authentication -> Open System Authentication
- C. Association -> Open System Authentication -> 802.1X Authentication
- D. Open System Authentication -> Association -> 802.1X Authentication

Correct Answer: D

---

### QUESTION 3

Click the Exhibit button.



Time	Old AP	New AP	Old RSSI	New RSSI	Protocol	Channel	Band	WLAN
10:08:15:529 AM, Feb 8	05-1	05-1	-75	-62	802.11ax → 802.11ax	124 → 11	5 GHz → 2.4 GHz	eduroam
10:08:17:446 AM, Feb 8	05-1	05-1	-62	-74	802.11ax → 802.11ax	11 → 124	2.4 GHz → 5 GHz	eduroam
10:08:19:072 AM, Feb 8	05-1	05-1	-74	-59	802.11ax → 802.11ax	124 → 11	5 GHz → 2.4 GHz	eduroam
10:08:20:935 AM, Feb 8	05-1	05-1	-59	-75	802.11ax → 802.11ax	11 → 124	2.4 GHz → 5 GHz	eduroam
10:08:22:516 AM, Feb 8	05-1	05-1	-75	-59	802.11ax → 802.11ax	124 → 11	5 GHz → 2.4 GHz	eduroam
10:08:24:419 AM, Feb 8	05-1	05-1	-59	-74	802.11ax → 802.11ax	11 → 124	2.4 GHz → 5 GHz	eduroam
10:09:47:608 AM, Feb 8		05-1	-	-59	- → 802.11ax	- → 11	- → 2.4 GHz	-
10:09:49:206 AM, Feb 8	05-1	05-1	-59	-70	802.11ax → 802.11ax	11 → 124	2.4 GHz → 5 GHz	eduroam
10:09:51:046 AM, Feb 8	05-1	05-1	-70	-59	802.11ax → 802.11ax	124 → 11	5 GHz → 2.4 GHz	eduroam
10:11:49:276 AM, Feb 8		05-1	-	-75	- → 802.11ax	- → 124	- → 5 GHz	-
10:11:53:381 AM, Feb 8	05-1	05-1	-75	-63	802.11ax → 802.11ax	124 → 11	5 GHz → 2.4 GHz	eduroam
10:11:57:107 AM, Feb 8	05-1	05-1	-63	-75	802.11ax → 802.11ax	11 → 124	2.4 GHz → 5 GHz	eduroam

A user opened a ticket. Upon troubleshooting, you determine that frequent roaming is the root cause of the problem. Referring to the exhibit, which statement describes the roaming issue that the client is experiencing?

- A. There are frequent roams between different protocols.
- B. There are frequent roams between different bands.
- C. There are frequent roams between different WLANs.
- D. There are frequent roams between different access points.

Correct Answer: D

#### QUESTION 4

You are installing and booting up your first Juniper Mist AP at your site.

By default, which two statements are correct in this scenario? (Choose two.)

- A. The AP will attempt to connect to the Mist cloud using port 443.
- B. The AP will send DHCP requests using the native VLAN.
- C. The AP will send DHCP requests with a VLAN ID of 10.
- D. The AP will attempt to connect to the Mist cloud using port 8080.

Correct Answer: AB

Reference: <https://www.juniper.net/documentation/us/en/software/nce/nce-214-midsize-branch-mist-pwp/topics/topic->



map/nce-214-midsized-branch-mist-example\_part2.html

## QUESTION 5

Click the Exhibit button.

Client Events 534 Total 435 Good 68 Neutral 31 Bad

DNS Failure		09:29:00.545 AM, Jun 22
DNS Failure		08:58:21.178 AM, Jun 22
Authorization Failure ⓘ		08:35:56.200 AM, Jun 22
Authorization Failure ⓘ		08:29:54.612 AM, Jun 22
DHCP Terminated		08:15:31.593 AM, Jun 22
DHCP Terminated ⓘ		05:10:17.995 AM, Jun 22
Authorization Failure		05:02:14.453 AM, Jun 22
DHCP Denied ⓘ		03:51:04.351 AM, Jun 22

Client

BSSID

SSID

Description

5c:5b:35:5c:fa:f1

Mist

Status code 79  
"Transmission failure"

AP

RSSI

Band

AP43

-66 dBm

2.4 GHz

Download Packet Capture

Analyze Packet Capture

Referring to the exhibit, which statement is correct?

- A. The packet capture was taken automatically.
- B. The packet capture was taken manually.
- C. The packet capture will contain full frames.
- D. The packet capture will contain only management frames.

Correct Answer: C

[JN0-451 PDF Dumps](#)

[JN0-451 Study Guide](#)

[JN0-451 Braindumps](#)