



JN0-634^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-634 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-634.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You want to review AppTrack statistics to determine the characteristics of the traffic being monitored. Which operational mode command would accomplish this task on an SRX Series device?

- A. show services application-identification statistics applications
- B. show services application-identification application detail
- C. show security application-tracking counters
- D. show services security-intelligence statistics

Correct Answer: A

QUESTION 2

Click the Exhibit button.

```
user@host> show ethernet-switching global-information
Global Configuration:

MAC aging interval      : 300
MAC learning            : Enabled
MAC statistics          : Disabled
MAC limit Count        : 65535
MAC limit hit           : Disabled
MAC packet action drop  : Disabled
LE aging time           : 1200
LE VLAN aging time     : 1200
Global Mode             : Switching
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. You can secure inter-VLAN traffic with a security policy on this device.
- B. You can secure intra-VLAN traffic with a security policy on this device.
- C. The device can pass Layer 2 and Layer 3 traffic at the same time.
- D. The device cannot pass Layer 2 and Layer 3 traffic at the same time.

Correct Answer: AC



QUESTION 3

Which three components are part of the AppSecure services suite? (Choose three.)

- A. IDP
- B. Sky ATP
- C. AppQoS
- D. AppFW
- E. Web filtering

Correct Answer: ACD

QUESTION 4

Click the Exhibit button.

```
user@host > show services user-identification authentication-table
authentication-source active-directory
Domain: example
Total entries: 1
Source IP      Username      groups (Ref by policy)      state
192.168.50.8  user1        grpl                        Initial
```

Which statement explains the current state value of the command output shown in the exhibit?

- A. A valid response was received from a domain PC probe, and the user is a valid domain user programmed in the PFE.
- B. An invalid response was received from a domain PC probe, and the user is an invalid domain user.
- C. A probe event generated an entry in the authentication table, but no probe response has been received from the domain PC.
- D. The user-to-address mapping was successfully read from the domain controller event logs, and an entry was added to the authentication table which currently resides on the Routing Engine.

Correct Answer: A

QUESTION 5

You are using IDP on your SRX Series device and are asked to ensure that the SRX Series device has the latest IDP database, as well as the latest application signature database.

In this scenario, which statement is true?

- A. The application signature database cannot be updated on a device with the IDP database installed.



- B. You must download each database separately.
- C. The IDP database includes the latest application signature database.
- D. You must download the application signature database before installing the IDP database.

Correct Answer: C

[JN0-634 VCE Dumps](#)

[JN0-634 Study Guide](#)

[JN0-634 Braindumps](#)