



JN0-635^{Q&As}

Security, Professional

Pass Juniper JN0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Exhibit.

The screenshot shows the 'Create remote custom feed' configuration page. The fields are as follows:

- Name*: Custom-feed1
- Description: Write description...
- Feed Type*: Infected Hosts (dropdown)
- Type of server url*: http, https
- Server File URL*: http://10.10.10.10/feeds
- Username: lab
- Password:

Referring to the exhibit, which two statements are true? (Choose two.)

- A. Juniper Networks will not investigate false positives generated by this custom feed.
- B. The custom infected hosts feed will not overwrite the Sky ATP infected host's feed.
- C. The custom infected hosts feed will overwrite the Sky ATP infected host's feed.
- D. Juniper Networks will investigate false positives generated by this custom feed.

Correct Answer: AC

Reference: https://www.juniper.net/documentation/en_US/junos-space18.1/policy-enforcer/topics/task/configuration/junos-space-policyenforcer-custom-feeds-infected-host-configure.html



QUESTION 2

You have a webserver and a DNS server residing in the same internal DMZ subnet. The public Static NAT addresses for the servers are in the same subnet as the SRX Series devices internet-facing interface. You implement DNS doctoring to ensure remote users can access the webserver.

Which two statements are true in this scenario? (Choose two.)

- A. The DNS doctoring ALG is not enabled by default.
- B. The Proxy ARP feature must be configured.
- C. The DNS doctoring ALG is enabled by default.
- D. The DNS CNAME record is translated.

Correct Answer: BC

QUESTION 3

Click the Exhibit button.



```
[edit]
user@host# show interfaces ge-0/0/4
unit 0 {
    family ethernet-switching {
        interface-mode access;
        vlan {
            members SV;
        }
    }
}

[edit]
user@host# show interfaces ge-0/0/5
unit 0 {
    family ethernet-switching {
        interface-mode access;
        vlan {
            members SV;
        }
    }
}

[edit]
user@host# show vlans
SV {
    vlan-id 101;
}

[edit]
user@host# show security zones security-zone L2
interfaces {
    ge-0/0/4.0;
    ge-0/0/5.0;
}

[edit]
user@host# show security policies

[edit]
user@host#

[edit]
user@host# run show ethernet-switching global-information
Global Configuration:

MAC aging interval           : 300
MAC learning                 : Enabled
MAC statistics               : Disabled
MAC limit Count              : 65535
MAC limit hit                : Disabled
MAC packet action drop      : Disabled
LE aging time                : 1200
LE VLAN aging time          : 1200
Global Mode                  : Transparent bridge
```



You have two hosts on the same subnet connecting to an SRX340 on interfaces ge-0/0/4 and ge-0/0/5. However, the two hosts cannot communicate with each other.

Referring to the exhibit, what are two actions that would solve this problem? (Choose two.)

- A. Set the SRX340 to Ethernet switching mode and reboot
- B. Add an IRB interface to the VLAN
- C. Put the ge-0/0/4 and ge-0/0/5 interfaces in different VLANs
- D. Remove the ge-0/0/4 and ge-0/0/5 interfaces from the L2 security zone

Correct Answer: AD

QUESTION 4

Click the Exhibit button.



```
user@host# show security idp-policy my-policy rulebase-ips
rule 1 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            no-action;
        }
    }
}
rule 2 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            ignore-connection;
        }
    }
}
rule 3 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            drop-packet;
        }
    }
}
rule 4 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            close-client-and-server;
        }
    }
}
```



You have recently committed the IPS policy shown in the exhibit. When evaluating the expected behavior, you notice that you have a session that matches all the rules in your IPS policy.

In this scenario, which action would be taken?

- A. drop packet
- B. no-action
- C. close-client-and-server
- D. ignore-connection

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-idp-policy-rulesand-rulebases.html

QUESTION 5

Click the Exhibit button.

```
user@host> telnet 172.20.202.10
Connected to 172.20.202.10.
Escape character is '^]'.
remote-device (ttyp1)
login:
```

```
user@srx> show security flow session application telnet
Session ID: 68748, Policy name: FBF-Internet/11, Timeout: 1722, Valid
  In: 172.20.201.10/55530 --> 172.20.202.10/23;tcp, Conn Tag: 0x0, If: ge-
0/0/5.0,
  Pkts: 28, Bytes: 1624,
  Out: 172.20.202.10/23 --> 172.20.201.10/55530;tcp, Conn Tag: 0x0, If:
ge-0/0/1.0, Pkts: 22, Bytes: 1418,
Total sessions: 1
```

You are implementing a new branch site and want to ensure Internet traffic is sent directly to your ISP and other traffic is sent to your company headquarters. You have configured filter-based forwarding to accomplish this objective. You verify proper functionality using the outputs shown in the exhibit.

Which two statements are true in this scenario? (Choose two.)

- A. The session utilizes one routing instance
- B. The ge-0/0/5 and ge-0/0/1 interfaces must reside in a single security zone
- C. The ge-0/0/5 and ge-0/0/1 interfaces can reside in different security zones
- D. The session utilizes two routing instances

Correct Answer: AC



VCE & PDF

GeekCert.com

<https://www.geekcert.com/jn0-635.html>

2024 Latest geekcert JN0-635 PDF and VCE dumps Download

[Latest JN0-635 Dumps](#)

[JN0-635 PDF Dumps](#)

[JN0-635 VCE Dumps](#)