



JN0-636^{Q&As}

Service Provider Routing and Switching Professional (JNCIP-SP)

Pass Juniper JN0-636 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-636.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

SRX Series device enrollment with Policy Enforcer fails To debug further, the user issues the following command show configuration services security--intelligence url

```
https : //cloudfeeds . argon . juniperaecurity . net/api/manifeat. xml
```

and receives the following output:

What is the problem in this scenario?

- A. The device is directly enrolled with Juniper ATP Cloud.
- B. The device is already enrolled with Policy Enforcer.
- C. The SRX Series device does not have a valid license.
- D. Junos Space does not have matching schema based on the

Correct Answer: C

QUESTION 2

You must implement an IPsec VPN on an SRX Series device using PKI certificates for authentication. As part of the implementation, you are required to ensure that the certificate submission, renewal, and retrieval processes are handled

automatically from the certificate authority.

In this scenario, which statement is correct.

- A. You can use CRL to accomplish this behavior.
- B. You can use SCEP to accomplish this behavior.
- C. You can use OCSP to accomplish this behavior.
- D. You can use SPKI to accomplish this behavior.

Correct Answer: B

Certificate RenewalThe renewal of certificates is much the same as initial certificate enrollment except you are just replacing an old certificate (about to expire) on the VPN device with a new certificate. As with the initial certificate request, only

manual renewal is supported. SCEP can be used to re-enroll local certificates automatically before they expire. Refer to Appendix D for more details.

QUESTION 3

Exhibit



```
Aug 3 01:28:23 01:28:23.434801:CID-0:THREAD_ID-01:RT: <172.20.201.10/59009->10.0.1.129/22;6,0x0> matched filter MatchTraffic:
Aug 3 01:28:23 01:28:23.434805:CID-0:THREAD_ID-01:RT: packet [64] ipid = 36644, @0xef3edece
Aug 3 01:28:23 01:28:23.434810:CID-0:THREAD_ID-01:RT: ---- flow_process_pkt: (thd 1): flow_ctxt type 15, common flag 0x0, mbuf 0x6918b800, rtbl_idx = 0
Aug 3 01:28:23 01:28:23.434817:CID-0:THREAD_ID-01:RT: ge-0/0/4.0:172.20.101.10/59009->10.0.1.129/22, tcp, flag 2 syn
Aug 3 01:28:23 01:28:23.434819:CID-0:THREAD_ID-01:RT: find flow: table 0x206a60a0, hash 43106(0xffff), sa 172.20.101.10, da 10.0.1.129, sp 59009, dp 22, proto 6, tok 9, conn-tag 0x00000000
Aug 3 01:28:23 01:28:23.434822:CID-0:THREAD_ID-01:RT: no session found, start first path. in_tunnel - 0x0, from_cp_flag - 0
Aug 3 01:28:23 01:28:23.434826:CID-0:THREAD_ID-01:RT:
flow_first_create_session
Aug 3 01:28:23 01:28:23.434834:CID-0:THREAD_ID-01:RT: flow_first_in_dst_nat: in <ge-0/0/3.0>, out <N/A> dst_addr 10.0.1.129, sp 59009, dp 22
Aug 3 01:28:23 01:28:23.434835:CID-0:THREAD_ID-01:RT: chose interface ge-0/0/4.0 as incoming nat if.
Aug 3 01:28:23 01:28:23.434838:CID-0:THREAD_ID-01:RT:
flow_first_rule_dst_xlate: DST no-xlate: 0.0.0.0(0) to 10.0.1.129(22)
Aug 3 01:28:23 01:28:23.434849:CID-0:THREAD_ID-01:RT: flow_first_routing: vr_id 0, call flow_route_lookup(): src_ip 172.20.101.10, x_dst_ip 10.0.1.129, in ifp ge-0/0/4.0, out ifp N/A sp 59009, dp 22, ip_proto 6, tos 0
Aug 3 01:28:23 01:28:23.434861:CID-0:THREAD_ID-01:RT: routed (x_dst_ip 10.1.0.129) from trust (ge-0/0/4.0 in 0) to ge-0/0/2.0, Next-hop: 10.0.1.129
Aug 3 01:28:23 01:28:23.434863:CID-0:THREAD_ID-01:RT:
flow_first_policy_search: policy search from zone trust-> zone untrust (0x0,0xe6810016,0x16)
Aug 3 01:28:26 01:28:26.434137:CID-0:THREAD_ID-01:RT: packet dropped, denied by policy
Aug 3 01:28:26 01:28:26.434137:CID-0:THREAD_ID-01:RT: denied by policy Deny-Telnet(5), dropping pkt
Aug 3 01:28:26 01:28:26.434138:CID-0:THREAD_ID-01:RT: packet dropped, policy deny.
```

Which two statements are correct about the output shown in the exhibit. (Choose two.)

- A. The source address is translated.
- B. The packet is an SSH packet
- C. The packet matches a user-configured policy
- D. The destination address is translated.

Correct Answer: AB

QUESTION 4

Regarding IPsec CoS-based VPNs, what is the number of IPsec SAs associated with a peer based upon?

- A. The number of traffic selectors configured for the VPN.
- B. The number of CoS queues configured for the VPN.




- C. The number of classifiers configured for the VPN.
- D. The number of forwarding classes configured for the VPN.

Correct Answer: D

Explanation: In IPsec CoS-based VPNs, the number of IPsec Security Associations (SAs) associated with a peer is based on the number of forwarding classes configured for the VPN. The forwarding classes are used to classify and prioritize different types of traffic, such as voice and data traffic. Each forwarding class requires a separate IPsec SA to be established between the peers, in order to provide the appropriate level of security and quality of service for each type of traffic.

QUESTION 5

Click the Exhibit button.



Referring to the exhibit, which three topologies are supported by Policy Enforcer? (Choose three.)

- A. Topology 3
- B. Topology 5
- C. Topology 2
- D. Topology 4
- E. Topology 1

Correct Answer: ADE

Reference: https://www.juniper.net/documentation/en_US/junos-space17.2/policy-enforcer/topics/concept/policy-enforcer-deployment-supported-topologies.html



VCE & PDF

GeekCert.com

<https://www.geekcert.com/jn0-636.html>

2024 Latest geekcert JN0-636 PDF and VCE dumps Download

[JN0-636 PDF Dumps](#)

[JN0-636 Exam Questions](#)

[JN0-636 Braindumps](#)