



JN0-647^{Q&As}

Enterprise Routing and Switching Exam

Pass Juniper JN0-647 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-647.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.



```
user@R1> show route 10.42.100.0
inet.0 : 61 destinations, 64 routes (61 active, 0 holddown, 0
hidden)
+ = Active Route, - = Last Active, * = Both

10.42.100.0/24    *[OSPF3/150] 00:00:11, metric 1, tag 0
                  > to 10.42.18.1 via ge-0/0/1.0
```

Referring to the exhibit, how is R1 learning the route from R2?

- A. R2 has interface ge-0/0/2 configured in another area under OSPFv3.
- B. R2 has an export policy with external type 1 configured.
- C. R2 has interface ge-0/0/2 configured as a passive interface under OSPFv3.
- D. R2 has an export policy with external type 2 configured.

Correct Answer: B

QUESTION 2

OSFP is stuck in the ExStart state.

What is a common cause of this problem?



- A. The DR priority is configured incorrectly.
- B. MTUs do not match.
- C. IP addresses are not configured correctly.
- D. Jumbo frames are not enabled.

Correct Answer: B

QUESTION 3

You manage your company enterprises network using EX series switches. Your company wants to use Q in Q tunneling to connect remote customer sites together. Which statement is correct about the scenario?

- A. You must enable L2PT to tunnel layer 2 protocol traffic
- B. The outside layer 2 frame is popped by the penultimate switch
- C. Customer traffic is tunneled through the network using the C VLAN ID
- D. The default Ethernet value is 0x9100

Correct Answer: A

QUESTION 4

Which statement is correct about MSTP?

- A. MSTP enables mapping multiple independent spanning-tree instances onto one physical topology.
- B. MSTP enables dynamic discovery of Layer 2 neighbors.
- C. MSTP dynamically manages VLAN registration in a LAN.
- D. MSTP uses stacked VLAN tags to extend a Layer 2 Ethernet connection between multiple sites.

Correct Answer: A

QUESTION 5

What allows non-Web enabled devices to access the network on a port configured for captive portal?

- A. A MAC address white list can be configured on the switch to allow specific MAC addresses to bypass the captive portal process.
- B. LLDP can be used to query the type of device that is attempting to access the network, and predefined device types can be allowed to bypass the captive portal process.
- C. Captive portal can be configured to only prompt for credentials when HTTP or HTTPS traffic is requested on a port to allow on-HTTP enabled devices access to the network.



D. Authentication credentials for specific devices can be preconfigured on the switch for automatic authentication.

Correct Answer: A

[JN0-647 PDF Dumps](#)

[JN0-647 Exam Questions](#)

[JN0-647 Braindumps](#)