



JN0-647^{Q&As}

Enterprise Routing and Switching Exam

Pass Juniper JN0-647 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-647.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer needs to pass Layer 2 protocols between sites.


Which protocol or standard would be required to implement connectivity on EX4300, EX3400, and EX2300 devices?

- A. Q-in-Q
- B. IGMP
- C. VPLS
- D. OSPF

Correct Answer: A

QUESTION 2

Click the Exhibit button.



```
user@R1> show route 10.42.100.0
inet.0 : 61 destinations, 64 routes (61 active, 0 holddown, 0
hidden)
+ = Active Route, - = Last Active, * = Both

10.42.100.0/24    *[OSPF3/150] 00:00:11, metric 1, tag 0
                  > to 10.42.18.1 via ge-0/0/1.0
```

Referring to the exhibit, how is R1 learning the route from R2?



- A. R2 has interface ge-0/0/2 configured in another area under OSPFv3.
- B. R2 has an export policy with external type 1 configured.
- C. R2 has interface ge-0/0/2 configured as a passive interface under OSPFv3.
- D. R2 has an export policy with external type 2 configured.

Correct Answer: B

QUESTION 3

Which protocol is a multicast routing protocol?

- A. OSPF
- B. BGP
- C. PIM
- D. IS-IS

Correct Answer: C

QUESTION 4

Which three databases are used by the Dijkstra algorithm? (Choose three.)

- A. Tree database
- B. Link State Database
- C. Candidate database
- D. MAC database
- E. Configuration database

Correct Answer: ABC

QUESTION 5

You are asked to merge a RIP network with your OSPF network. As a first step, you establish connectivity between the RIP network and the OSPF network. The RIP network connects to an NSSA area.

Which two statements are true in this scenario? (Choose two.)

- A. To share RIP routes with the OSPF network, an export policy will be required on the ABR.
- B. To share RIP routes with the OSPF network, an export policy will be required on the ASBR.



C. By default, external OSPF routes have a higher route preference than RIP routes.

D. By default, RIP routes have a higher route preference than external OSPF routes.

Correct Answer: BD

[Latest JN0-647 Dumps](#)

[JN0-647 Study Guide](#)

[JN0-647 Braindumps](#)