



JN0-647^{Q&As}

Enterprise Routing and Switching Exam

Pass Juniper JN0-647 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-647.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



Referring to the exhibit, you are receiving multiple routes from ISP3 through two EBGPs neighbors. You must ensure that all traffic leaving R1 destined to the networks advertised by ISP3 go through ISP2.

What should you do on R1 to accomplish this task?


- A. Create and apply an import policy to set the local preference on routes learned from ISP2 to be lower than those learned from ISP1.
- B. Create and apply an import policy to set the route preference on routes learned from ISP2 to be lower than those learned from ISP1.
- C. Create and apply an import policy to set the route preference on routes learned from ISP2 to be higher than those learned from ISP1.
- D. Create and apply an import policy to set the local preference on routes learned from ISP2 to be higher than those learned from ISP1.

Correct Answer: D

QUESTION 2



Click the Exhibit button.



Referring to the exhibit, traffic from User-1 is being forwarded to Server-1 with DSCP values that must be written. You must maintain the rewritten DSCP values throughout the network.

Which statement is correct in this scenario?

- A. At a minimum, you must rewrite the DSCP values on R1.
- B. At a minimum, you must rewrite the DSCP values on R1 and R4.
- C. At a minimum, you must rewrite the DSCP values on R1, R2, and R3.
- D. At a minimum, you must rewrite the DSCP values on R4.

Correct Answer: AD

QUESTION 3

Which two statements are true about OSPFv3? (Choose two.)


- A. OSPFv3 packets are sent using local subnet addressing.
- B. OSPFv3 packets are sent using link local addressing.
- C. The authentication mechanisms in OSPFv3 are the same mechanisms used in OSPFv2.
- D. The authentication mechanisms from OSPFv2 are not present in OSPFv3.

Correct Answer: BD

QUESTION 4



Click the Exhibit button.



Your network is experiencing congestion across the link between R2 and R3. You must make changes to alleviate traffic congestion from R3 to R2.

Referring to the exhibit, which two commands would accomplish this task? (Choose two.)

- A. `[edit protocol ospf]`
`user@R1# set reference-bandwidth 10g`
- B. `[edit protocol ospf]`
`user@R3# set reference-bandwidth 10g`
- C. `[edit protocols ospf area 0.0.0.0]`
`user@R1# set interface fe-1/0/1 metric 5`
- D. `[edit protocols ospf area 0.0.0.0]`
`user@R3# set interface fe-1/0/1 metric 5`

A. B. C. D.

Correct Answer: BD

QUESTION 5

Click the Exhibit button.



```
user@router> show route advertising-protocol bgp 10.254.32.2

inet.0: 1400327 destinations, 14000327 routes (1351350 active,
0 holddown, 1 hidden)
Prefix                Nexthop            MED    Lclpref        AS path
*1.5.5.5/32           Self              0
[edit]
user@router# show policy-options policy-statement export-to-as81
term 1 {
    from {
        route-filer 1.0.0.0/8 longer;
    }
    then accept
}
term 2 {
    then reject;
}

[edit]
user@router# show policy-options policy-statement reject-routes
term 1 {
    from {
        route-filter 1.0.0.0/8 exact;
    }
    then reject;
}

[edit]
user@router# show protocol bgp
export reject-routes;
group ebgp {
    export export-to-as81;
    peer-as 81;
    neighbor 10.254.32.2 {
        family inet {
            unicast;
        }
    }
}
```

You are asked to advertise the 1.0.0.0/8 and 1.5.5.5/32 routes to your 10.254.32.2 BGP peer.

Referring to the exhibit, which configuration change would satisfy this requirement?



- A. Remove the export-to- as81 policy.
- B. Change the export-to- as81 policy to or longer.
- C. Remove the reject-routes policy.
- D. Change the reject-routes policy to longer.

Correct Answer: B

[Latest JN0-647 Dumps](#)

[JN0-647 PDF Dumps](#)

[JN0-647 VCE Dumps](#)