



JN0-647^{Q&As}

Enterprise Routing and Switching Exam

Pass Juniper JN0-647 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-647.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Your network supports multicast traffic but your provider network does not. You want to allow multicast hosts outside of your network to receive multicast traffic sourced within your network.

How would you satisfy this requirement?

- A. Use MSDP peering with your provider.
- B. Use AutoVPN to connect to the remote hosts.
- C. Use an MP-BGP session to your provider to pass multicast traffic.
- D. Use an automatic multicast tunnel gateway at the edge of your network.

Correct Answer: D

QUESTION 2

Which two statements is true regarding the next hop attribute? (Choose two.)

- A. it is not changed when sent across EBGp sessions
- B. it is changed to self for IBGP routes learned from EBGp
- C. it is not changed for IBGP routes learned from EBGp
- D. it is Changed by default when sent across EBGp sessions

Correct Answer: CD

QUESTION 3

In a Layer 2 environment where 802.1X is deployed with its default parameters on EX Series switches, which two statements are correct? (Choose two.)

- A. RADIUS authentication requests are sent from the authenticator to the authentication server.
- B. DHCP traffic from supplicants is denied by default through the authenticator.
- C. RADIUS authentication requests are sent from the supplicant to the authentication server.
- D. DHCP traffic from supplicants is permitted by default through the authenticator.

Correct Answer: AB

QUESTION 4

Which three databases are used by the Dijkstra algorithm? (Choose three.)



- A. Tree database
- B. Link State Database
- C. Candidate database
- D. MAC database
- E. Configuration database

Correct Answer: ABC

QUESTION 5

Click the Exhibit button.

```
user@R1> show ospf neighbor
Address      Interface    State      ID          Pri        Dead
10.222.0.21   ge-0/0/12.0 Full       10.222.1.4   128        34
10.222.0.13   ge-0/0/1.0  ExStart    10.222.1.3   128        31

user@R1> show ospf interface ge-0/0/1.0 detail
Interface    State      Area      DR ID      BDR ID
Nbrs
ge-0/0/1.0   BDR       0.0.0.1    10.222.1.3  10.222.1.5
1
Type: LAN, Address: 10.222.0.13, Mask: 255.255.255.252, MTU: 1500, Cost: 1

user@R2> show ospf interface ge-0/0/6.0 detail
Interface    State      Area      DR ID      BDR ID
Nbrs
ge-0/0/1.0   BDR       0.0.0.1    10.222.1.5  10.222.1.3
1
Type: LAN, Address: 10.222.0.13, Mask: 255.255.255.252, MTU: 1500, Cost: 1
```

You are troubleshooting an OSPF adjacency issue between R1 and R2. What is the reason for the ExStart state shown in the exhibit?

- A. R2 was elected as the designated router.
- B. R1 was elected as the backup designated router.
- C. R1 and R2 are using the same IP address.
- D. The MTU is not the default on R1 and R2.

Correct Answer: C