



JN0-648^{Q&As}

Enterprise Routing and Switching, Professional (JNCIP-ENT)

Pass Juniper JN0-648 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-648.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are implementing 802.1X authentication in your Layer 2 network. Each user will have a computer and a phone and you must ensure that both devices are authenticated individually.

In this scenario, which supplicant mode should be used?

- A. captive-portal
- B. single
- C. multiple
- D. single-secure

Correct Answer: B

QUESTION 2

You are deploying IP phones in your Layer 2 network and are asked to ensure that the switch sends VLAN and CoS information to the IP phones automatically.

In this scenario, which protocol should be used?

- A. PoE+
- B. LLDP
- C. LLDP-MED
- D. PoE

Correct Answer: C

QUESTION 3

You want to view the VLANs that have been created dynamically using MVRP. Which operational mode command will display this information?

- A. show mvrp registration-state
- B. show mvrp dynamic-vlan-memberships
- C. show mvrp interface
- D. show mvrp applicant-state



Correct Answer: B

QUESTION 4

Click the Exhibit button.

```
{master:0} [edit]
user@router# show firewall three-color-policer main-policer
action {
    loss-priority high then discard;
}
single-rate{
    color-aware;
    committed-information-rate 40m;
    committed-burst-size 100k;
    excess-burst-size 200k;
}
```

You have configured and applied the policer shown in the exhibit to your Junos device. Which statement is true in this scenario?

- A. Traffic exceeding the committed-burst size will be marked with a loss priority of high.
- B. Traffic exceeding the excess-burst size will be discarded.
- C. Traffic exceeding the committed-information-rate will be rate limited.
- D. Traffic exceeding the committed-burst size will be discarded.

Correct Answer: A

QUESTION 5

Packets enter a Juniper device and are classified as best effort. During the processing of the packet, the classification of the packets is changed to expedited forwarding by a multi-field classifier. The device is using the default CoS policies.

Which statement is true in this scenario?

- A. The packet is forwarded according to the original packet classification, and the DSCP bits do not change.
- B. The packet is forwarded according to the new packet classification, and the DSCP bits are rewritten to the new class.
- C. The packet is forwarded according to the new packet classification, and the DSCP bits do not change.



D. The packet is forwarded according to the original packet classification, and the DSCP bits are rewritten to the new class.

Correct Answer: C

[JN0-648 PDF Dumps](#)

[JN0-648 VCE Dumps](#)

[JN0-648 Practice Test](#)