JN0-648^{Q&As}

Enterprise Routing and Switching, Professional (JNCIP-ENT)

Pass Juniper JN0-648 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/jn0-648.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

You have multiple BGP routes to the same prefix with equal local-preference values and AS-path lengths. In this scenario, which route will be preferred in the route selection process?

A. The route with the least preferred origin value.

B. The route with the lowest MED value.

C. The route with the most preferred origin value.

D. The route with the highest MED value.

Correct Answer: C

QUESTION 2

Click the Exhibit button.

```
[edit]
user@router# show protocols bgp
group BGP-MESH {
    type internal;
    local-address 172.10.50.200;
    family inet {
      unicast;
    }
    export NHS;
    cluster 172.10.50.200;
    peer-as 65001;
    neighbor 10.10.0.50;
    neighbor 172.16.200.4;
}

[edit]
user@router# show policy-options policy-statement NHS
term BGP_ROUTES {
    from protocols bgp;
    then {
        next-hop self;
        accept;
    }
}
```

You are investigating reports of increased latency and discover that some routes cause customer traffic to traverse a route reflector instead of the optimal path.

Referring to the exhibit, which configuration statement would solve the problem?

A. delete protocols bgp group BGP-MESH peer-as

B. set policy-options policy-statement NHS term BGP_ROUTES from external

C. set protocols bgp group BGP-MESH import NHS

D. delete protocols bgp group BGP-MESH export NHS

Correct Answer: B

QUESTION 3

Click the Exhibit button.

```
user@router# show interfaces ge-0/0/1
description "Customer Port";
flexible-vlan-tagging;
native-vlan-id 150;
encapsulation extended-vlan-bridge;
unit 10 {
        vlan-id-list 100-200;
        input-vlan-map push;
        output-vlan-map pop;
}
user@router# show interfaces xe-0/0/48
description "Uplink Port";
vlan-tagging;
unit 10 {
        vlan-id 10;
}

user@router# show vlans v10
interface ge-0/0/1.10;
interface xe-0/0/48.10;
```

Referring to the exhibit, which two statements are true regarding Q-in-Q tunneling? (Choose two.)

A. The C-VLAN traffic will be encapsulated with an outer VLAN tag of 150.

B. The C-VLANs 100-200 will be sent as the inner VLAN tag.

C. The C-VLAN 150 will be sent as the inner VLAN tag.

D. The C-VLAN traffic will be encapsulated with an outer VLAN tag of 10.

Correct Answer: BD

QUESTION 4

Click the Exhibit button.

Which well-known community needs to be used to restrict 10.0.0.0/8 from being advertised to AS 2?

A. no-publish

B. no-advertise

C. no-export-subconfed

D. no-export

Correct Answer: D

QUESTION 5

Which protocol is a multicast routing protocol?

A. OSPF

B. BGP

C. PIM

D. IS-IS

Correct Answer: C

JN0-648 VCE Dumps   JN0-648 Practice Test   JN0-648 Study Guide