



JN0-648^{Q&As}

Enterprise Routing and Switching, Professional (JNCIP-ENT)

Pass Juniper JN0-648 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-648.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
user@switch# run show dot1x interface detail
ge-0/0/15.0
  Role: Authenticator
  Administrative state: Auto
  Supplicant mode: Single-Secure
  Number of retries: 3
  Quiet period: 60 seconds
  Transmit period: 30 seconds
  Mac Radius: Enabled
  Mac Radius Restrict: Disabled
  Reauthentication: Enabled
  Configured Reauthentication interval: 3600 seconds
  Supplicant timeout: 30 seconds
  Server timeout: 30 seconds
  Maximum EAPOL requests: 2
  Guest VLAN member: guest
  Number of connected supplicants: 1
    Supplicant: 50c58dbaed16, 50:C5:8D:BA:ED:16
      Operational state: Authenticated
      Backend Authentication state: Idle
      Authentication method: Server-Fail Vlan
      Authenticated VLAN: guest
      Session Reauth interval: 3600 seconds
      Reauthentication due in 3393 seconds
```

Referring to the exhibit, which statement is true?

- A. Only 802.1X authentication will be used for devices connecting to ge-0/0/15.
- B. Additional users will automatically be allowed to connect to ge-0/0/15.
- C. The current device is authenticated using MAC RADIUS.
- D. The current device was allowed after authentication attempts to the RADIUS server failed.

Correct Answer: D

QUESTION 2



Which EVPN route type is used for fast convergence and for advertising the split horizon label?

- A. Type 4
- B. Type 2
- C. Type 5
- D. Type 1

Correct Answer: D

QUESTION 3

Click the Exhibit button.

```
{master:0} [edit]
user@router# show firewall three-color-policer main-policer
action {
    loss-priority high then discard;
}
single-rate{
    color-aware;
    committed-information-rate 40m;
    committed-burst-size 100k;
    excess-burst-size 200k;
}
```

You have configured and applied the policer shown in the exhibit to your Junos device. Which statement is true in this scenario?

- A. Traffic exceeding the committed-burst size will be marked with a loss priority of high.
- B. Traffic exceeding the excess-burst size will be discarded.
- C. Traffic exceeding the committed-information-rate will be rate limited.
- D. Traffic exceeding the committed-burst size will be discarded.

Correct Answer: A

QUESTION 4

Click the Exhibit button.



```
user@switch-1> show spanning-tree mstp configuration
MSTP information
Context identifier      : 0
Region name            : L2-MSTP
Revision               : 1
Configuration digest   : 0x8edc0c5699e5c50ec011c3858a3802cf
```

```
MSTI Member VLANs
 0 0-10, 13-14, 16-4094
 1 11, 15
 2 12
```

```
user@switch-2> show spanning-tree mstp configuration
MSTP information
Context identifier      : 0
Region name            : L2-MSTP
Revision               : 1
Configuration digest   : 0xbe0284d20f4d46a8da89c5d9b3b4f78a
```

```
MSTI Member VLANs
 0 0-10, 13-4094
 1 11
 2 12
```

You have configured MSTP in your Layer 2 network. You are having problems with it establishing correctly.

Referring to the exhibit, what is causing the problem?

- A. The region name is not correct.
- B. You must assign a context ID number other than zero.
- C. The MSTI-to-VLAN mapping does not match.
- D. The revision number is the same on both devices.

Correct Answer: C

QUESTION 5

You want to route Layer 3 PVLAN traffic within the secondary VLAN. What is required to accomplish this task?

- A. an FBF policy
- B. an IRB



C. a community VLAN

D. an isolated VLAN

Correct Answer: B

[Latest JN0-648 Dumps](#)

[JN0-648 Study Guide](#)

[JN0-648 Braindumps](#)