

JN0-661^{Q&As}

Service Provider Routing and Switching

Pass Juniper JN0-661 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/jn0-661.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You work for a service provider and need to build EVPN service which provides an active/active multihorning topology using a single CE at each site. In this scenario, which two statements are true? (Choose two.)

- A. An Ethernet segment appears as a LAG to the CE device.
- B. A backup designated forwarder is elected for forwarding BUM traffic to the CE device
- C. TheEthernet segment identifier must be an all zeros identifier
- D. A designated forwarder is elected for forwarding BUM traffic to the CE device.

Correct Answer: A

QUESTION 2

Which configuration parameter would be used by a commit script to use custom syntax and simplify the configuration?

- A. Apply-groups
- **B.** Allow-transients
- C. Direct-access
- D. Apply-macro
- Correct Answer: D

QUESTION 3

You have a Layer 3 VPN established between Site 1 and Site 2. You are asked to limit the number of OSPF routes that the PE devices will accept from the CEs. Which statement is correct?


- A. You should use the prefix-limit feature to limit the number of accepted routes.
- B. You should use the allow feature to limit the accepted routes.
- C. You should use the route-target filtering feature to limit the accepted routes.
- D. You should use the maximum-prefixes feature to limit the number of accepted routes.

Correct Answer: D

QUESTION 4

Click the Exhibit





Referring to the exhibit, which type of NG MVPN route will be advertised by PE2 to PE1 ?

- A. Shared Tree Join C-Multicast route
- B. Source Tree Join C-Multicast route
- C. Source Active Auto-discovery route
- D. Leaf Auto-discovery route

Correct Answer: A

QUESTION 5

A layer 2 circuit (RFC 4447) is established between two PE routers to provide connectivity between two customer sites. Which two statements related to this deployment are true?

- A. Kompella encapsulation is used in the data plane communications.
- B. LDP must be used for the control plane communications
- C. BGP must be used for the control plane communications.
- D. Martini encapsulation is used in the data plane communications.

Correct Answer: BD

Latest JN0-661 Dumps

JN0-661 PDF Dumps

JN0-661 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.