



# JN0-662<sup>Q&As</sup>

Service Provider Routing and Switching - Professional (JNCIP-SP)

## Pass Juniper JN0-662 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-662.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



Referring to the exhibit, you have multiple Layer 3 VPNs established in your network. You are asked to ensure that PE-4 allows CE-2 in VPN 1 to communicate with CE-1 in VPN 3.

Which two statements are correct in this scenario? (Choose two.)

- A. Use a BGP export policy to share the appropriate VRF routes.
- B. Use the auto-export feature to share the appropriate VRF routes.
- C. Use a BGP import policy to share the appropriate VRF routes.
- D. Use rib-groups to share the appropriate VRF routes.

Correct Answer: AC

**QUESTION 2**

After committing the following configuration change on your MPLS VPN PE router, all MPLS VPN destinations become unreachable.

```
user@router# show protocols mpls  
traffic-engineering bgp-igp;
```

Which additional configuration solves the issue?

- A.



- B.
- C.
- D.

Correct Answer: C

### QUESTION 3

Click the Exhibit button.

```
user@host> show route table bgp.evpn.0

1:10.0.0.189:0::abcd0001000001::FFFF:FFFF/192 AD/ESI
    *[BGP/170] 03:06:10, localpref 100, from 10.0.C.189
    AS path: I, validation-state: unverified
    > to 10.0.0.33 via et-0/0/0.0
    to 10.0.0.35 via et-0/0/1.0
2:10.0.0.189:1::100::00:00:5e:00:01:01/304 MAC/IP
    *[BGP/170] 03:13:54, localpref 100, from 10.0.C.189
    AS path: I, validation-state: unverified
    > to 10.0.0.33 via et-0/0/0.0
    to 10.0.0.35 via et-0/0/1.0
3:10.0.0.189:1::100::10.0.0.189/248 IM
    *[BGP/170] 03:13:54, localpref 100, from 10.0.C.189
    AS path: I, validation-state: unverified
    > to 10.0.0.33 via et-0/0/0.0
    to 10.0.0.35 via et-0/0/1.0
4:10.0.0.189:0::abcd0001000001:10.0.0.189/296 ES
    *[BGP/170] 03:06:11, localpref 100, from 10.0.C.189
    AS path: I, validation state: unverified
    > to 10.0.0.33 via et-0/0/0.0
    to 10.0.0.35 via et-0/0/1.0
```

Referring to the exhibit, what is the correct prefix length of the route for the multihomed device?

- A. 192
- B. 304
- C. 296
- D. 248

Correct Answer: B

### QUESTION 4



Click the Exhibit button.

```
user@PE2# show
iw0 {
    unit 0 {
        encapsulation vlan-ccc;
        vlan-id 610;
        peer-unit 1;
    }
    unit 1 {
        encapsulation vlan-ccc;
        vlan-id 610;
        peer-unit 1;
    }
}
```

You have configured Layer 2 VPN stitching between two Layer 2 circuits on PE2, but traffic is not passing through the VPN.

Referring to the exhibit, what is the problem?

- A. The unit 1 peer unit must be set to 0.
- B. The VLAN IDs must be lower than 512.
- C. The VLAN IDs must be different on each unit.
- D. The peer units must reference the VLAN IDs.

Correct Answer: A

## QUESTION 5

Which neighbor state indicates that two BGP neighbors have full connectivity?

- A. Idle
- B. Connect
- C. OpenConfirm
- D. Established

Correct Answer: D

[Latest JN0-662 Dumps](#)

[JN0-662 Practice Test](#)

[JN0-662 Exam Questions](#)