



JN0-681^{Q&As}

New Data Center, Professional

Pass Juniper JN0-681 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-681.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You want to ensure high availability of the Junos devices in your data center.

In this scenario, which three features would accomplish this task? (Choose three.)

- A. Virtual Router Redundancy Protocol
- B. Multiple Spanning Tree Protocol
- C. dual Routing Engines
- D. virtual private LAN service
- E. graceful Routing Engine switchover

Correct Answer: ACE

QUESTION 2

What are two valid types of VXLAN signaling? (Choose two.)

- A. EVPN
- B. RSVP
- C. RSTP
- D. MPLS

Correct Answer: AD

QUESTION 3

You are designing a network for a small data center.

In this scenario, which underlay protocol allows for the simplest implementation?

- A. OSPF
- B. IBGP
- C. EBGp
- D. MPLS

Correct Answer: C

QUESTION 4



You are implementing perimeter security for your data center. You need to inspect all traffic at Layer 7 and ensure the failure of a port or device will not result in an interruption to traffic flows.

In this scenario, which design would satisfy these requirements?

- A. SRX using LAG
- B. MX with MC-LAG
- C. QFX Virtual Chassis
- D. SRX chassis cluster

Correct Answer: D

QUESTION 5

You are troubleshooting an L3VPN that is part of an EVPN/MPLS DCI. You notice that the EVPN overlay BGP session toward 10.29.50.4 is unable to establish.

```
VPN.inet.0: 15 destinations, 16 routes (15 active,
0 holddown, 1 hidden)
  10.29.50.4/32 (2 entries, 1 announced)
    Import Accepted
    Route Distinguisher: 65000:12345
    VPN Label: 16
    Nexthop: 192.168.5.5
    MED: 3
    Localpref: 100
    AS path: I
    Communities: target:65000:12345 rte-
type:0.0.0.0:1:0
```

Why is the BGP session failing to establish?

- A. The vrf-table-label value is not configured in the remote PE.
- B. The route-distinguisher value on the local PE is incorrect.
- C. There is no route for 192.168.5.5 in inet.3.
- D. There is no route for 192.168.5.5 in VPN.inet.0.

Correct Answer: A