



# JN0-740<sup>Q&As</sup>

ACX, Specialist (JNCIS-ACX)

## Pass Juniper JN0-740 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-740.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which ScreenOS CLI command would be used to add services to an existing multi-cell policy?

- A. set service
- B. set multiple service
- C. set service multiple
- D. set policy from trust to untrust any any permit

Correct Answer: A

---

### QUESTION 2

If the inbound interface is configured for NAT mode, which two (2) will be modified by the NetScreen when traffic travels from the Trust zone to the Untrust zone?

- A. Source IP
- B. Source Port
- C. Destination IP
- D. Destination Port

Correct Answer: AB

---

### QUESTION 3

What type of interface is a tunnel interface?

- A. sub-interface
- B. virtual interface
- C. physical interface
- D. redundant interface

Correct Answer: B

---

### QUESTION 4

What CLI command lets you add additional entries to the source, destination and/or service fields

- A. set policy id x



- B. set multiple id x
- C. set policy id x multiple
- D. set policy from trust to untrust 10.10.10.0;10.10.11.0 any any permit

Correct Answer: A

## QUESTION 5

-- Exhibit -

|                          |  |    |           |             |         |        |
|--------------------------|--|----|-----------|-------------|---------|--------|
| Traffic log for policy : |  | ID | Source    | Destination | Service | Action |
|                          |  | 1  | Trust/Any | Untrust/Any | ANY     | Permit |

| Date/Time           | Source Address/Port | Destination Address/Port | Translated Source Address/Port | Translated Destination Address/Port | Service | Duration | Bytes Sent | Bytes Received |
|---------------------|---------------------|--------------------------|--------------------------------|-------------------------------------|---------|----------|------------|----------------|
| 2003-12-02 11:08:52 | 10.1.1.250:23552    | 2.2.2.1:512              | 1.1.1.42:23552                 | 2.2.2.1:512                         | ICMP    | 59 sec.  | 78         | 0              |

-- Exhibit -Click the Exhibit button to view the exhibit.

Review the exhibit. Which two forms of address translation could have generated the output shown?

- A. MIP
- B. Interface-based translation
- C. NAT-src with a DIP, fixed-port enabled
- D. NAT-src with a DIP, fixed-port disabled

Correct Answer: BD

[Latest JN0-740 Dumps](#)

[JN0-740 VCE Dumps](#)

[JN0-740 Braindumps](#)