



# JN0-740<sup>Q&As</sup>

ACX, Specialist (JNCIS-ACX)

**Pass Juniper JN0-740 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-740.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You are configuring an interface in the untrust zone with an IP address, telnet enabled, and WebUI management.

Which sequence of steps must be performed to make the interface operational at the end of the configuration sequence?

- A. Assign the interface to a zone, define the IP address, enable Web and telnet services.
- B. Assign the interface to a zone, define the IP address, accept default management services.
- C. Assign the interface to a virtual router, define the IP address, enable Web and telnet services.
- D. Assign the interface to a zone, define the IP address, define a manage IP address, accept default management services.

Correct Answer: A

---

### QUESTION 2

What is the initial default username and password for all ScreenOS devices?


- A. administrator/password
- B. root/password
- C. netscreen/netscreen
- D. admin/netscreen1

Correct Answer: D

---

### QUESTION 3

-- Exhibit -



-- Exhibit -Click the Exhibit button to view the exhibit.

Review the exhibit. What would be the best routing command to allow host A to communicate with host B?

(Assume a route from the 208 to Host A's subnet already exists.)

- A. set route 0.0.0.0/0 interface e2 gateway 192.168.1.254
- B. set route 192.168.20.0 interface e1 gateway 192.168.1.254
- C. configure route 192.168.20.0/24 gateway 192.168.1.254 interface e2
- D. set route 192.168.20.0/24 interface e2 gateway 192.168.1.254

Correct Answer: D

#### QUESTION 4

-- Exhibit -



Traffic log for policy :

ID	Source	Destination	Service	Action
1	Trust/Any	Untrust/Any	ANY	Permit

Date/Time	Source Address/Port	Destination Address/Port	Translated Source Address/Port	Translated Destination Address/Port	Service	Duration	Bytes Sent	Bytes Received
2003-12-02 11:08:52	10.1.1.250:23552	2.2.2.1:512	1.1.1.42:23552	2.2.2.1:512	ICMP	59 sec.	78	0

-- Exhibit -Click the Exhibit button to view the exhibit.

Review the exhibit. Which two forms of address translation could have generated the output shown?

- A. MIP
- B. Interface-based translation
- C. NAT-src with a DIP, fixed-port enabled
- D. NAT-src with a DIP, fixed-port disabled

Correct Answer: BD

### QUESTION 5

-- Exhibit -

```
C - Connected, S - Static, A - Auto-Exported, I - Imported
iB - IBGP, eB - EBGP, R - RIP, O - OSPF, E1 - OSPF external type 1
E2 - OSPF external type 2

untrust-vr (0 entries)
=====

trust-vr (8 entries)
=====
  ID IP-Prefix          Interface      Gateway          P  Pref  Mtr Vsys
-----
*   9 0.0.0.0/0         eth8           1.1.8.254        S   20    1 Root
*   8 1.1.70.0/24      eth7           1.1.7.254        S   20    1 Root
*   7 10.1.20.0/24     eth2           10.1.2.254       S   20    1 Root
*   2 10.1.1.0/24       eth1           0.0.0.0          C    0     0 Root
*   3 10.1.2.0/24       eth2           0.0.0.0          C    0     0 Root
```

-- Exhibit -Click the Exhibit button to view the exhibit.

Review the exhibit. Which command generated the output shown?

- A. ping
- B. get route



- C. traceroute
- D. get route ip
- E. get interface

Correct Answer: D

[JN0-740 VCE Dumps](#)

[JN0-740 Exam Questions](#)

[JN0-740 Braindumps](#)