



# JN0-740<sup>Q&As</sup>

ACX, Specialist (JNCIS-ACX)

## Pass Juniper JN0-740 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-740.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What is a zone used for?

- A. to bundle interfaces together for redundancy
- B. to bundle interfaces sharing identical security requirements
- C. to provide a tunneled connection across a network
- D. to protect against spam attacks

Correct Answer: D

---

### QUESTION 2

You have created your tunnel interface in the untrust zone. Traffic from the trust zone is able to enter the tunnel and pass to the destination. However traffic from a different interface in the untrust zone is not able to pass traffic through the tunnel. You are using a single virtual router. What could be causing this problem?

- A. Two virtual routers need to be configured.
- B. A policy is needed since intra-zone blocking is on by default in the untrust zone.
- C. The tunnel is configured with a proxy id that does not include the address from the untrust interface.
- D. The routing tables are not correctly configured to allow the traffic from the untrust source to be delivered to the destination.

Correct Answer: B

---

### QUESTION 3

When configuring a firewall in a critical environment where a local backup configuration is quickly needed, what should be completed on a periodic basis?

- A. Execute `exec config rollback`.
- B. Execute `save config to last-known-good`.
- C. Execute `save` regularly or create a script that does this.
- D. Execute `save software from flash to pcmcia`.

Correct Answer: B

---

### QUESTION 4

What is the purpose of the sequence number in the ESP or AH header?



- A. Provide protection from missing packets that have been encrypted
- B. Provide protection from someone trying to replay captured data later in the session
- C. Provide protection from hackers changing the sequence number in the layer 4 header
- D. Provide protection from someone trying to resequence the packets to try and crash the system

Correct Answer: B

---

#### QUESTION 5

The CLI command, '\set policy from untrust to trust "ANY" "ANY" "ANY" Permit\' is the default configuration policy on which NetScreen device?

- A. NetScreen 500
- B. NetScreen-5XT
- C. NetScreen-5XP
- D. None of the above
- E. NetScreen-200 series

Correct Answer: D

[JN0-740 VCE Dumps](#)

[JN0-740 Exam Questions](#)

[JN0-740 Braindumps](#)